Washoe County Development Application

Your entire application is a public record. If you have a concern about releasing personal information, please contact Planning and Building staff at 775.328.6100.

Project Information	S	taff Assigned Case No.:		
Project Name: 27 Somers Loop				
Project Remodel of single story wood framed building with loft. Description:				
Project Address:27 Somers Lo	op, Crystal Bay NV	89402	+	
Project Area (acres or square fee				
Project Location (with point of re	ference to major cross	streets AND area locator):		
27 Somers Loop, Crystal E	Bay, NV 89402 / c	closest cross street is Some	ers Drive.	
Assessor's Parcel No.(s):	Parcel Acreage:	Assessor's Parcel No.(s):	Parcel Acreage:	
123-031-04	.102			
Indicate any previous Washo Case No.(s).	e County approval	s associated with this applicat	tion:	
Applicant Inf	ormation (attach	additional sheets if necess	sary)	
Property Owner:		Professional Consultant:		
Name: Heath & Amanda Rushing		Name:GilanFarr Architecture		
Address:125 Roger Stone Rd		Address:PO Box 446		
Madisonville, LA	Zip: 70447	Crystal Bay, NV	Zip: 89402	
Phone: 601.876.7659 Fax:		Phone: 775.831.8001 Fax:		
Email:heath@newnr.com		Email:phil@gilanfarrarchitects.com		
Cell:	Other:	Cell:	Other:	
Contact Person: Heath Rushing	3	Contact Person:Phil GilanFarr		
Applicant/Developer:		Other Persons to be Contacted:		
Name:GilanFarr Architecture	1	Name:		
Address:PO Box 446		Address:	- (1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	
Crystal Bay, NV	Zip: 89402		Zip:	
Phone: 775.831.8001	Fax:	Phone:	Fax:	
Email:aleks@gilanfarrarchitect	ure.com	Email:		
Cell: 925.557.8780	Other:	Cell:	Other:	
Contact Person:Aleks Soto	111	Contact Person:		
For Office Use Only				
Date Received:	Initial:	Planning Area:		
County Commission District:		Master Plan Designation(s):		
CAB(s):		Regulatory Zoning(s):		

Variance Application Supplemental Information (All required information may be separately attached)

1.	What provisions of the Development Code (e.g. front yard setback, height, etc.) must be waived or varied to permit your request?				
	Front & Rear Setback				
	You must answer the following questions in detail. Failure to provide complete and accurate information will result in denial of the application.				
2.	What are the topographic conditions, extraordinary or exceptional circumstances, shape of the property or location of surroundings that are unique to your property and, therefore, prevent you from complying with the Development Code requirements?				
	The size of the lot with standard setbacks does not allow for any modification to the front of the main house or the existing guest house.				
3.	What steps will be taken to prevent substantial negative impacts (e.g. blocking views, reducing privacy, decreasing pedestrian or traffic safety, etc.) to other properties or uses in the area?				
	Additions are kept small and at or below the height of the existing house or guest house.				
4.	How will this variance enhance the scenic or environmental character of the neighborhood (e.g. eliminate encroachment onto slopes or wetlands, provide enclosed parking, eliminate clutter in view of neighbors, etc.)?				
	Will provide an updated front of the house improving the curb appeal. Update will also remove a portion of deck that is beyond the extent of the property line.				
5.	What enjoyment or use of your property would be denied to you that is common to other properties in your neighborhood?				
	The ability to improve the existing house function and utilizing the allowable coverage.				
6.	Are there any restrictive covenants, recorded conditions or deed restrictions (CC&Rs) that apply to the area subject to the variance request?				
	☐ Yes ☐ No If yes, please attach a copy.				
7.	How is your current water provided?				
	East Stateline Point Watershed / MUNICIPAL				
8.	How is your current sewer provided?				
	IVGID Public Works / MUNICIPAL				

Property Owner Affidavit

Applicant Name: GilanFarr Architecture
The receipt of this application at the time of submittal does not guarantee the application complies with all requirements of the Washoe County Development Code, the Washoe County Master Plan or the applicable area plan, the applicable regulatory zoning, or that the application is deemed complete and will be processed. STATE OF NEVADA COUNTY OF WASHOE STATMMONT AND STATMMONT
HEATH A. RUSHING
(please print name)
being duly sworn, depose and say that I am the owner* of the property or properties involved in this application as listed below and that the foregoing statements and answers herein contained and the information herewith submitted are in all respects complete, true, and correct to the best of my knowledge and belief. I understand that no assurance or guarantee can be given by members of Planning and Building.
(A separate Affidavit must be provided by each property owner named in the title report.)
Assessor Parcel Number(s): 123-031-04
Printed Name HEATH A. RUSHING
Address 27 Somers Loop
Crustal Bay NV 89407
Subscribed and sworn to before me this
day of Notary Stamp
MININE A BRANCHILL
Notary Public in and for said county) and state
Totally a discount of the state
Notary Public in and for said county and state My commission expires: Notary Public in and for said county and state My commission expires: Notary Public in and for said county and state
*Owner refers to the following: (Please mark appropriate box.)
Owner Owner
□ Corporate Officer/Partner (Provide copy of record document indicating authority to sign.)
□ Power of Attorney (Provide copy of Power of Attorney.)
 Owner Agent (Provide notarized letter from property owner giving legal authority to agent.)
☐ Property Agent (Provide copy of record document indicating authority to sign.)
□ Letter from Government Agency with Stewardship

P.O. Bax 30039 oh: (775) 328-25 Emolt tay/1 was

Washoe County Treasurer Tammi Davis

Account Detail

CRYSTAL BAY, NV 89402

Taxing District

5200

Back to Account Detail Change of Address Print this Page CollectionCart Items Total Collection Cart Pay Online No payment due for this account. **Washoe County Parcel Information** Parcel ID Status Last Update 12303104 Active 11/17/2020 1:40:47 AM **Current Owner:** SITUS: RUSHING, HEATH A & AMANDA R 27 SOMERS LOOP INCLINE VILLAGE NV PO BOX 1608

Tax Year	Net Tax	Total Paid	Penalty/Fees	Interest	Balance Due
2020	\$2,215.19	\$2,237.35	\$0.00	\$0.00	\$0.00
2019	\$2,500.43	\$2,500.43	\$0.00	\$0.00	\$0.00
2018	\$2,448.14	\$2,448.14	\$0.00	\$0.00	\$0.00
2017	\$2,397.44	\$2,397.24	\$0.00	\$0.00	\$0.00
2016	\$2,379.56	\$2,379.56	\$0.00	\$0.00	\$0.00
				Total	\$0,00

Geo CD:

Disclaimer

- ALERTS: If your real property taxes are delinquent, the search results displayed may not reflect the correct amount owing. Please contact our office for the current amount due.
- For your convenience, online payment is available on this site.
 E-check payments are accepted without a fee.
 However, a service fee does apply for online credit card payments.
 See Payment Information for details.


Pay By Check

Please make checks payable to: WASHOE COUNTY TREASURER

Mailing Address: P.O. Box 30039 Reno, NV 89520-3039


Overnight Address: 1001 E. Ninth St., Ste D140 Reno, NV 89512-2845




















PO BOX 446
CRYSTAL BAY, NEVADA 89402
VOICE. (775) 831-8001
FAX. (775) 831-8068

GILANFARRARCHITECTURE.COM

<u>LEGEND</u>

- FOUND MONUMENT AS NOTED
- O NOTHING FOUND OR SET
- SPOT ELEVATION
- STORM DRAIN MANHOLE
- POWER POLE
- ☐ UTILITY AS NOTED

 TREE, DIAMETER & TYPE
 P=PINE, F=FIR, C=CEDAR

COVERAGE CALCULATIONS

AREA OF LOT 4,490 SF / 0.10 AC

LAND CLASSIFICATION 4 (20%)

ALLOWABLE COVERAGE 898 SF

EXISTING COVERAGE

RESIDENCE 992 SF
DECKS / STAIRS 126 SF**
CONCRETE / ROCK 516 SF
GUEST HOUSE 238 SF

RESIDENCE
DECKS / STAIRS
CONCRETE / ROCK
GUEST HOUSE

TOTAL

BANKED COVERAGE
TOTAL OFFSITE A/C PAVING:

* CALCULATED WITH 3:1 HEIGHT REDUCTION
** SEE EXEMPTION WORKSHEET

TITLE: EXISTING	CUSTOM RESI	HEATH	27 SOMERS LOOP, CRYST, LEGAL DESCRIPTION; LOT APN: 123-031-04
REVISI	ONS		

ILE: 27	SOMERS	LOOP

21 90MER9 LOOP


DATE: October 27, 2020

SCALE: 1/8' = 1'-0'

DRAWN:

GFA

SHEET:



COVERAGE CALC	CULATIONS (V)
AREA OF LOT	4,490 SF / 0.10 AC
LAND CLASSIFICATION	4 (20%)
ALLOWABLE COVERAGE	898 SF
EXISTING COVERAGE	
RESIDENCE DECKS / STAIRS CONCRETE / ROCK / SPA GUEST HOUSE	992 SF 126 SF++ 516 SF 238 SF
TOTAL PROPOSED COVERAGE	1,872 SF
BANKED COVERAGE TOTAL OFFSITE COVERAGE	236 SF 549 SF
PROPOSED COVERAGE	

PROPOSED COVERAG			
RESIDENCE DECKS / STAIRS CONCRETE / ROCK / SPA GUEST HOUSE	RE 1129 SF 179 SF 526 SF 289 SF	DUCTIONS Ø SF 179 SF** Ø SF Ø SF	TOTAL 989 SF Ø SF** 526 SF 289 SF
TOTAL PROPOSED COVERAGE	2,210 SF	179 SF	2,Ø31 SF
BANKED COVERAGE TOTAL OFFSITE COVERAGE			77 SF 549 SF
* CALCULATED WITH 3:1 HEIGHT R	EDUCTION		

** SEE EXCEPTION WORKSHEET				
CUT FILL	Ø CY Ø CY	NUMBER OF TREES FOR REMOVAL	(Ø)	

SITE NOTES

- CALL UNDERGROUND SERVICE ALERT OF NORTHERN CALIFORNIA AND NEVADA (800-227-2600) PRIOR TO ANY DIGGING.
- TOPOGRAPHICAL INFORMATION IS BASED ON TRPA APPROVED SITE INSPECTION AND LETTER DATED 05/10/2019 BY ARNETT 4 A660CIATES, INC.
- ALL BARREN AND DISTURBED AREAS TO BE REVEGETATED PER TRPA/BMP STANDARDS.
- ALL SLOPES GREATER THAN 2:1 & ROAD SIDE DITCHES AND BANKS SHALL BE MECHANICALLY STABILIZED WITH EITHER ROCK PROTECTION OR VEGETATION
- REMOVE TREES AS INDICATED. REMOVE DEAD TREES & BRANCHES PER THE FOREST MANAGEMENT AND DEFENSIBLE SPACE RECOMMENDATIONS.
- CONTRACTOR SHALL INSURE PROPER PLACEMENT OF ADDITION WITHIN THE REQUIRED SETBACKS PER SITE PLAN.
- CONTRACTOR TO VERIFY LOCATIONS & CONNECTIONS OF WATER / SEWER / GAS / ELECTRIC / TELEVISION / TELEPHONE UTILITIES WITH APPROPRIATE SERVICE PROVIDERS PRIOR TO DIGGING. INSTALL ALL UTILITIES IN AN APPROVED TRENCH & IN ACCORDANCE WITH ALL APPLICABLE CODES &
- ALL IMPROVEMENTS WITHIN WASHOE CO. RIGHT OR WAY SHALL BE CONSTRUCTED WITH THE LATEST COUNTY CODES AND COUNTY STANDARD SPECIFICATIONS AND DETAILS.
- AN ENCROACHMENT, STREET CUT AND EXCAVATION PERMIT SHALL BE OBTAINED BY THE CONTRACTOR PRIOR TO STARTING WORK WITHIN COUNTY RIGHT-OF-WAY. A REVOCABLE ENCROACHMENT PERMIT IS REQUIRED FOR ANY IMPROVEMENTS (PAVERS, CONCRETE, LANDSCAPING, WALLS, ETC.) IN THE COUNTY RIGHT-OF-WAY.
- Ø. FINISH GRADE AROUND RESIDENCE SHALL SLOPE AWAY FROM STRUCTURE @ 5% MIN FOR 10' TYPICAL.
- BMP CONTRIBUTING SURFACES AND TREATMENTS ARE LABELED IN THE ATTACHED DOCUMENT 'BMP AREAS'.
- ALL BEST MANAGEMENT PRACTICES (BMPs) SHALL BE MAINTAINED IN PERPETUITY TO ENSURE EFFECTIVENESS WHICH MAY REQUIRE BMPS TO BE PERIODICALLY REINSTALLED OR REPLACED.
- . TEMPORARY AND PERMANENT BMP6 MAY BE FIELD FIT BY THE ENVIRONMENTAL COMPLIANCE INSPECTOR WHERE APPROPRIATE.
- EXISTING NATURAL FEATURES OUTSIDE OF THE BUILDING SITE SHALL BE RETAINED AND INCORPORATED INTO THE SITE DESIGN TO THE GREATEST EXTENT FEASIBLE. THE SITE SHALL BE DESIGNED TO AVOID DISTURBANCE TO ROCK OUTCROPS AND TO MINIMIZE VEGETATION REMOVAL AND MAINTAIN THE NATURAL SLOPE OF THE PROJECT SITE.
- 3. ALL EXTERIOR LIGHTING TO BE DARK SKY COMPLIANT AND APPROVED BY TRPA PRIOR TO USE ON PROJECT.
- 3. CONTRACTOR SHALL UTILIZE AN APPROVED DISPOSAL LOCATION FOR ALL MATERIAL EXPORTED FROM SITE.
- 20. A HOT WORK OPERATIONS PERMIT IS REQUIRED WHEN OPERATIONS INCLUDE CUTTING, WELDING, THERMIT WELDING, BRAZING, SOLDERING, GRINDING, THERMAL SPRAYING, THAWING PIPES, INSTALLATION OF TORCH-APPLIED ROOF SYSTEMS OR ANY OTHER SIMILAR ACTIVITY. PERMITS SHALL BE OBTAINED THROUGH NLTFPD.

DEFENSIBLE SPACE NOTES

- . ALL DEAD VEGETATION, INCLUDING TREES, BRUSH AND OTHER VEGETATION MUST BE REMOVED.
- 2. ALL RESIDUAL TREES WILL BE LIMBED TO A HEIGHT OF TEN-FEET (10°)
 ABOVE THE GROUND ON THE HIGH SIDE. REMOVAL OF LOWER BRANCHES SHOULD NOT EXCEED ONE-THIRD OF THE TOTAL TREE HEIGHT. IF MORE THA ONE-THIRD OF THE LIVE CROWN MUST BE REMOVED TO ACCOMPLISH THIS CLIMBING, THEN USE THE HORIZONTAL SPACING GUIDELINES LISTED FOR BRUSH UNDER ITEM 6 BELOW.
- 3. ALL RESIDUAL TREES WILL BE LIMBED TO ACHIEVE A TEN-FOOT (10')
 CLEARANCE FROM ANY PART OF THE HOUSE TO THE BRANCHES OF THE
 TREE. IF LESS THAN 60% OF THE LIVE CROWN WOULD BE LEFT AFTER CLIMBING, THE TREE SHOULD BE REMOVED.
- 4. ALL BRUSH, TREES, AND FLAMMABLE MATERIALS MUST BE REMOVED FROM UNDER THE DRIP LINE OF RESIDUAL TREES OR TREE GROUPINGS.
- 5. WITHIN FIVE-FEET (5') OF THE FOUNDATION OR SUPPORT POSTS OF ANY PART OF THE STRUCTURE OR AN OUTBUILDING, REMOVE ALL FLAMMABLE VEGETATION AND MATERIALS.
- 6. WITHIN THE FIVE-FOOT (5') TO THIRTY-FOOT (30') ZONE, TREE CANOPIES WILL BE SPACED AT LEAST 10-FEET (10') APART. IF TREES ARE GROUPED CLOSE ENOUGH TOGETHER AS TO ACT AS ONE UNIT, THEN ALL OTHER REQUIREMENTS MUST BE MET. WITHIN THE THIRTY (30') TO ONE-HUNDRED-FOOT (100') ZONE, STANDS OF LARGE TREES DO NOT HAVE TO BE REMOVED SO LONG AS THE VEGETATION UNDERNEATH THEM IS REMOVED. PLEASE SEE SPACING GUIDELINES BELOW FOR STEEPER SLOPES.
- 1. WITHIN THE FIVE-FOOT (5') TO THIRTY-FOOT (30') ZONE, BRUSH FIELDS MUST BE SPACED HORIZONTALLY A MINIMUM DISTANCE EQUAL TO OR GREATER THAN TWICE THE HEIGHT OF THE BRUSH. INDIVIDUAL BRUSH PLANTS CANNOT EXCEED 100-SQUARE FEET (100') IN AREA AND THREE (3') IN HEIGHT.

FOR SLOPING PROPERTIES, USE THE FOLLOWING STANDARDS FOR THE ABOVE REQUIREMENTS:

20 - 40% ABY 40% BRUSH

SPACING

10-FEET BETWEEN EDGES OF CROWNS

20-FEET BETWEEN EDGES OF CROWNS 30-FEET BETWEEN EDGES OF CROWNS 0 - 20% 2 TIMES THE HEIGHT OF RESIDUAL BRUSH 20 - 40% 4 TIMES THE HEIGHT OF RESIDUAL BRUSH ABY 40% 6 TIMES THE HEIGHT OF RESIDUAL BRUSH

SITE LEGEND

NEW COVERAGE

EXISTING COVERAGE REMOVED CANERAGIECHENS ALL CEILINGS HALF TONE






GILANFARR architecture

PO BOX 446

GILANFARRARCHITECTURE.COM



REVISIONS


FILE: 27 SOMERS LOOP

DATE: October 27, 2020

SCALE: 1/4" = 1'-0" DRAWN:

GFA

SHEET: ?? SHEETS



ire, Inc. ALL RIGHTS RESERVED



GILANFARR architecture

PO BOX 446 CRYSTAL BAY, NEVADA 89402 VOICE. (775) 831-8001 FAX. (775) 831-8068

GILANFARRARCHITECTURE.COM

SULLEN BOUNT FO

REVISIONS CONS


FILE:

DATE: October 27, 2


SCALE: 1/4" = 1'-

DRAWN: GFA

A 2 . 6



EAST ELEVATION SCALE: 1/4"=1'-0"





NORTH ELEVATION SCALE: 1/4"=1'-0"

WEST ELEVATION SCALE: 1/4"=1'-@"

GILANFARR architecture

PO BOX 446 CRYSTAL BAY, NEVADA 89402 VOICE. (775) 831-8001 FAX. (775) 831-8068

GILANFARRARCHITECTURE.COM

REVISIONS