

Board of Adjustment Staff Report

Meeting Date: October 5, 2017

Subject: Administrative Permit Case Number: WADMIN17-0007

Applicant: David Dunham

Agenda Item Number: 9D

Summary: Allow the construction of a detached accessory structure that has

a larger building footprint than the main dwelling on the same

parcel of land

Recommendation: Approval with Conditions

Prepared by: Roger Pelham, MPA, Senior Planner

Washoe County Community Services Department

Planning and Building Division

Phone: 775.328.3622

E-Mail: rpelham@washoecounty.us

Description

Administrative Permit Case Number WADMIN17-0007 (Dunham Detached Accessory Structure) – For possible action, hearing, and discussion to approve an Administrative Permit to allow the construction of a detached accessory structure that has a larger building footprint than the main dwelling on the same parcel of land, in accordance with Washoe County Code Section 110.306.10.

Applicant / Property Owner: David Dunham

6000 Winnemucca Ranch Road

Reno, NV 89510

Location: 6000 Winnemucca Ranch Road, approximately 1.7

miles northwest of its intersection with Pyramid

Highway.

Assessor's Parcel Number: 076-130-35
Parcel Size: ±38.375 Acres

Master Plan Category: Rural (R)

Regulatory Zone: General Rural Agricultural (GRA)

Area Plan: Warm Springs

Citizen Advisory Board: Warm Springs / Rural

Development Code: Authorized in Article 306, Accessory Uses and

Structures

Commission District: 5 – Commissioner Herman
 Section/Township/Range: Section 11, T22N, R20E, MDM

Washoe County, NV

Staff Report Contents


Description									
Administrative Permit Definition	3								
Vicinity Map									
Overhead Photo	5								
Site Plan	6								
Detail Site Plan	7								
Project Evaluation	8								
Warm Springs / Rural Citizen Advisory Board (WS/R CAB)	9								
Reviewing Agencies	9								
Staff Comment on Required Findings	10								
Recommendation	10								
Motion	11								
Appeal Process									
Exhibits Contents									
Conditions of Approval	Exhibit A								
Agency Comment Letters	Exhibit B								
Public Notice	Exhibit C								
Project Application	Exhibit D								

Administrative Permit Definition

The purpose of an Administrative Permit is to provide a method of review for a proposed use which possess characteristics that requires a thorough appraisal in order to determine if the use has the potential to adversely affect other land uses, transportation or facilities in the vicinity. The Board of Adjustment or the Hearing Examiner may require conditions of approval necessary to eliminate, mitigate, or minimize to an acceptable level any potentially adverse effects of a use, or to specify the terms under which commencement and operation of the use must comply. Prior to approving an application for an administrative permit, the Hearing Examiner or the Board of Adjustment must find that all of the required findings, if applicable, are true.

The Conditions of Approval for Administrative Permit Case Number WADMIN17-0007 are attached to this staff report and will be included with the Action Order, if approved by the Board of Adjustment.


The subject property is designated as General Rural Agricultural (GRA). The existing dwelling is approximately 1858 square feet in size. The proposed accessory structure is approximately 2040 square feet in size. The proposed detached accessory structure has a larger building footprint than the main dwelling on the same parcel and requires an Administrative Permit per WCC 110.306.10(d). That section exempts parcels 40 acres or larger within the GRA zone, however, this parcel is 38.375 acres in size. Therefore, an Administrative Permit is required and the applicant is seeking approval of this Administrative Permit from the Board of Adjustment.




Vicinity Map




Overhead Photo



Site Plan



Detail Site Plan



Proposed Building Elevations

Project Evaluation

The applicant is requesting to construct a detached accessory structure that is larger than the main dwelling unit that currently exists on the subject parcel. The existing dwelling is approximately 1858 square feet in size. The proposed accessory structure is approximately 2040 square feet in size. In this rural area, comprised in large part of parcels of land about forty acres and greater in size, there are many detached accessory structures on many parcels that are larger than the main dwellings. Therefore, this request is not out of character with the surrounding area. The proposed structure will be located to the rear of the existing dwelling and will be visible from the adjacent roadway. WCC at Section 110.306.10(d) requires that, "A proposal to establish a detached accessory structure that is larger (i.e. has more square footage or a larger building footprint) than the existing main structure shall require the approval of an Administrative Permit (pursuant to Article 808), to include review of building height and architectural compatibility with surrounding dwellings, prior to the issuance of a building permit." Dwellings in the surrounding area are comprised largely of single-story homes. The proposed structure is comprised of siding and roofing materials to match the existing dwelling and is proposed to be the same height as the existing dwelling.

Conditions of approval have been included to require that the colors of the proposed structure match those of the existing dwelling. The site includes mature landscaping with mature deciduous trees. The overall appearance of the proposed structure will match the surrounding architecture and may be perceived as a part of the existing dwelling unit. For that reason, conditions of approval are minimal and simply include a condition to plant additional trees near the proposed structure.



Warm Springs / Rural Citizen Advisory Board (WS/R CAB)

The Warm Springs / Rural Citizen Advisory Board did not meet during the review period for this Administrative Permit. The application was provided to the Board members and written comments were requested. No comments were received.

Reviewing Agencies

The following agencies received a copy of the project application for review and evaluation.

- Washoe County Community Services Department
 - Engineering and Capital Projects Division
 - Planning and Building Division
- Washoe County Health District, Environmental Health Services Division
- Truckee Meadows Fire Protection District
- Washoe County School District
- Regional Transportation Commission
- Washoe-Storey Conservation District

Of above listed agencies/departments, only the Planning and Building Division provided substantive comments and/or recommended conditions of approval in response to their evaluation of the project application. A **summary** of that agency's comments and recommended conditions of approval and their contact information is provided. The Conditions

of Approval document is attached to this staff report and will be included with the Action Order, if approved by the Board of Adjustment.

• <u>Washoe County Planning and Building Division</u> addressed minor additions to landscaping to help mitigate the visual impact of the project.

Contact: Roger Pelham, 775.328.3622, rpelham@washoecounty.us

Staff Comment on Required Findings

WCC Section 110.808.25 requires that all of the following findings be made to the satisfaction of the Washoe County Board of Adjustment before granting approval of the Administrative Permit request. Staff has completed an analysis of the application and has determined that the proposal is in compliance with the required findings as follows.

- 1. <u>Consistency.</u> That the proposed use is consistent with the action programs, policies, standards and maps of the Master Plan and the Warm Springs Area Plan.
 - <u>Staff Comment: There are no policies or action programs in the Warm Springs Area Plan that are applicable to the requested detached accessory structure.</u>
- 2. <u>Improvements.</u> That adequate utilities, roadway improvements, sanitation, water supply, drainage, and other necessary facilities have been provided, the proposed improvements are properly related to existing and proposed roadways, and an adequate public facilities determination has been made in accordance with Division Seven.
 - Staff Comment: Electrical connection is available on the subject site. Water will be provided by an existing domestic well and sewer by means of an existing indivdual septic system.
- 3. <u>Site Suitability.</u> That the site is physically suitable for a detached accessory structure, larger than the main dwelling, and for the intensity of such a development.
 - <u>Staff Comment: All standard setbacks and applicable building requirements will be met prior to approval of the building permit for the proposed detached accessory structure.</u>
- 4. <u>Issuance Not Detrimental.</u> That issuance of the permit will not be significantly detrimental to the public health, safety or welfare; injurious to the property or improvements of adjacent properties; or detrimental to the character of the surrounding area.
 - <u>Staff Comment: Detached accessory structures are common in the surrounding area, therefore there is no significant detriment anticipated.</u>
- 5. <u>Effect on a Military Installation.</u> Issuance of the permit will not have a detrimental effect on the location, purpose or mission of the military installation.
 - <u>Staff Comment: There is no military installation in the required notice area of the proposed detached accessory dwelling, so this finding is not required to be made by the BOA.</u>

Recommendation

Those agencies which reviewed the application recommended conditions in support of approval of the project, or provided no comment. Therefore, after a thorough analysis and review, Administrative Permit Case Number WADMIN17-0007 is being recommended for approval with conditions. Staff offers the following motion for the Board's consideration.

Administrative Permit Case Number: WADMIN17-0007
Page 10 of 11

DUNHAM DETACHED ACCESSORY STRUCTURE

Motion

I move that, after giving reasoned consideration to the information contained in the staff report and information received during the public hearing, the Board of Adjustment approve Administrative Permit Case Number WADMIN17-0007 for David Dunham, with the conditions of approval included as Exhibit A to this matter, having made all four required findings in accordance with Washoe County Code Section 110.808.25:

- 1. <u>Consistency.</u> That the proposed use is consistent with the action programs, policies, standards and maps of the Master Plan and the Warm Springs Area Plan;
- Improvements. That adequate utilities, roadway improvements, sanitation, water supply, drainage, and other necessary facilities have been provided, the proposed improvements are properly related to existing and proposed roadways, and an adequate public facilities determination has been made in accordance with Division Seven;
- 3. <u>Site Suitability.</u> That the site is physically suitable for a detached accessory structure, larger than the main dwelling, and for the intensity of such a development; and
- 4. <u>Issuance Not Detrimental.</u> That issuance of the permit will not be significantly detrimental to the public health, safety or welfare; injurious to the property or improvements of adjacent properties; or detrimental to the character of the surrounding area.

Appeal Process

Board of Adjustment action will be effective 10 calendar days after the written decision is filed with the Secretary to the Board of Adjustment and mailed to the original applicant, unless the action is appealed to the Washoe County Board of County Commissioners, in which case the outcome of the appeal shall be determined by the Washoe County Board of County Commissioners. Any appeal must be filed in writing with the Planning and Building Division within 10 calendar days after the written decision is filed with the Secretary to the Board of Adjustment and mailed to the original applicant.

Applicant/Property Owner: David Dunham

6000 Winnemucca Ranch Road

Reno. NV 89510

Action Order:

Administrative Permit Case Number: WADMIN17-0007
Page 11 of 11

DUNHAM DETACHED ACCESSORY STRUCTURE



Conditions of Approval

Administrative Permit Case Number WADMIN17-0007

The project approved under Administrative Permit Case Number WADMIN17-0007 shall be carried out in accordance with the Conditions of Approval granted by the Board of Adjustment on October 5, 2017. Conditions of Approval are requirements placed on a permit or development by each reviewing agency. These Conditions of Approval may require submittal of documents, applications, fees, inspections, amendments to plans, and more. These conditions do not relieve the applicant of the obligation to obtain any other approvals and licenses from relevant authorities required under any other act or to abide by all other generally applicable Codes, and neither these conditions nor the approval by the County of this project/use override or negate any other applicable restrictions on uses or development on the property.

<u>Unless otherwise specified</u>, all conditions related to the approval of this Administrative Permit shall be met or financial assurance must be provided to satisfy the conditions of approval prior to issuance of a grading or building permit. The agency responsible for determining compliance with a specific condition shall determine whether the condition must be fully completed or whether the applicant shall be offered the option of providing financial assurance. All agreements, easements, or other documentation required by these conditions shall have a copy filed with the County Engineer and the Planning and Building Division.

Compliance with the conditions of approval related to this Administrative Permit is the responsibility of the applicant, his/her successor in interest, and all owners, assignees, and occupants of the property and their successors in interest. Failure to comply with any of the conditions imposed in the approval of the Administrative Permit may result in the initiation of revocation procedures.

Washoe County reserves the right to review and revise the conditions of approval related to this Administrative Permit should it be determined that a subsequent license or permit issued by Washoe County violates the intent of this approval.

For the purpose of conditions imposed by Washoe County, "may" is permissive and "shall" or "must" is mandatory.

Conditions of Approval are usually complied with at different stages of the proposed project. Those stages are typically:

- Prior to permit issuance (i.e., grading permits, building permits, etc.).
- Prior to obtaining a final inspection and/or a certificate of occupancy.
- Prior to the issuance of a business license or other permits/licenses.
- Some "Conditions of Approval" are referred to as "Operational Conditions." These conditions must be continually complied with for the life of the project or business.

FOLLOWING ARE CONDITIONS OF APPROVAL REQUIRED BY THE REVIEWING AGENCIES. EACH CONDITION MUST BE MET TO THE SATISFACTION OF THE ISSUING AGENCY.

Washoe County Planning and Building Division

1. The following conditions are requirements of the Planning and Building Division, which shall be responsible for determining compliance with these conditions.

Roger Pelham, Senior Planner, 775.328.3622 rpelham@washoecounty.us

- a. The applicant shall demonstrate substantial conformance to the plans approved as part of this administrative permit. Planning and Building shall determine compliance with this condition.
- b. The applicant shall submit complete construction plans and building permits shall be issued within two (2) years from the date of approval by Washoe County. The applicant shall complete construction within the time specified by the building permits. Compliance with this condition shall be determined by Planning and Building.
- c. The applicant shall attach a copy of the Action Order approving this project to all administrative permit applications (including building permits) applied for as part of this administrative permit.
- d. A note shall be placed on all construction drawings and grading plans stating:

NOTE

Should any prehistoric or historic remains/artifacts be discovered during site development, work shall temporarily be halted at the specific site and the State Historic Preservation Office of the Department of Museums, Library and Arts shall be notified to record and photograph the site. The period of temporary delay shall be limited to a maximum of two (2) working days from the date of notification.

- e. The exterior colors and general architectural design of the structure shall match the existing dwelling.
- f. The plans shall show, and the applicant shall install, at least two additional trees between the structure and Winnemucca Ranch Road.

*** End of Conditions ***



Washoe County COMMUNITY SERVICES DEPARTMENT

Engineering and Capital Projects Division

Date: August 30, 2017

To: Roger Pelham, Planning and Development Division

From: Leo R. Vesely, P.E., Engineering and Capitol Projects Division

Re: WADMIN17-0007

APN 076-130-35

Dunham Detached Accessory Structure

I have reviewed the referenced administrative permit case and have no conditions or comments.

LRV/lrv

REGIONAL TRANSPORTATION COMMISSION Metropolitan Planning · Public Transportation & Operations · Engineering & Construction Metropolitan Planning Organization of Washoe County, Nevada

FR: Chrono/PL 183-17 August 23, 2017

Mr. Roger Pelham, Senior Planner Community Services Department Washoe County PO Box 11130 Reno, NV 89520

WADMIN17-0007 (Dunham Detached Accessory Structure)

WPVAR17-0007 (Izakaya Tahoe) WSUP17-0017 (IVGID Bike Park)

WSUP17-0018 (Verizon Rolling Thunder Grading)

Dear Mr. Pelham,

We have reviewed the above applications and have no comments at this time.

Thank you for the opportunity to comment on these applications. Please feel free to contact me at 775-332-0174 or email me at rkapuler@rtcwashoe.com if, you have any questions or comments.

Sincerely.

Rebecca Kapuler

Rebus Kapuler

Planner

RK/jm

Mojra Hauenstein, Washoe County Community Services Copies:


Trevor Lloyd, Washoe County Community Services Chad Giesinger, Washoe County Community Services Jae Pullen, Nevada Department of Transportation, District II

Daniel Doenges, Regional Transportation Commission

Tina Wu, Regional Transportation Commission Mark Maloney, Regional Transportation Commission Julie Masterpool, Regional Transportation Commission David Jickling, Regional Transportation Commission

/Washoe County no comment 09012017

RTC Board: Ron Smith (Chair) - Bob Lucey (Vice Chair) - Paul McKenzie - Marsha Berkbigler - Neoma Jardon PO Box 30002, Reno, NV 89520 · 1105 Terminal Way, Reno, NV 89502 · 775-348-0400 · rtcwashoe.com



Community Services Department Planning and Building ADMINISTRATIVE PERMIT APPLICATION

(Care for the Infirm see page 9)



Community Services Department Planning and Building 1001 E. Ninth St., Bldg. A Reno, NV 89520

Telephone: 775.328.6100

Washoe County Development Application

Your entire application is a public record. If you have a concern about releasing personal information, please contact Planning and Building staff at 775.328.6100.

Project Information	\$	Staff Assigned Case No.:				
Project Name: Detached Garage						
Project Detack Description: Room,	ned GAG	age, laura	RU			
Project Address: 6000 Winnemocca Ranch Rd.						
Project Area (acres or square feet): 2040 591						
Project Location (with point of re						
Assessor's Parcel No.(s):	Parcel Acreage:	Assessor's Parcel No.(s):	Parcel Acreage:			
07613035	38.752					
		A STATE OF THE STA	179			
Section(s)/Township/Range:						
	e County approval	s associated with this applicat	ion:			
Case No.(s).			1			
Applicant Information (attach additional sheets if necessary)						
Property Owner:		Professional Consultant:				
Name: DAVID DUN		Name: Ul Salzano				
	nucca Rand	nAddress: 5935 Grass Valley Rd				
	Zip: 89510	Reno, No Zip: 89510				
Phone: 775-690-7867	Fax: AA	Phone: 775.233.1984 Fax: 475-079				
Email:		Email:				
Cell:775-690-7867	Other:	Cell: 775-233.1984 Other:				
Contact Person: DAULD		Contact Person: al Salzano				
Applicant/Developer:		Other Persons to be Contacted:				
Name: Dunhams (omnercial	Name:				
Address: 6000 Winner	noccaRanch					
Reno, No	Zip: 89510		Zip:			
Phone: 775-690-7867		Phone:	Fax:			
Email: donhamscom		Emailial.com				
110 010 1001	Other:	Cell: Other:				
Contact Person: DAUID	Dunham	Contact Person:				
	For Office	Use Only				
Date Received:	Initial:	Planning Area:				
County Commission District:		Master Plan Designation(s):				
CAB(s):	- Jan A. Rose	Regulatory Zoning(s):				

Property Owner Affidavit

Applicant Name:	DUNHAM
The receipt of this application at the time of submittal	does not guarantee the application complies with all
requirements of the Washoe County Development applicable area plan, the applicable regulatory zonin will be processed.	: Code, the Washoe County Master Plan or the g, or t hat the application is deemed complete and
STATE OF NEVADA)	
COUNTY OF WASHOE)	
1, DAVID W DenHAM	
(please pri	nt name)
being duly sworn, depose and say that I am the ovapplication as listed below and that the foregoing sinformation herewith submitted are in all respects comand belief. I understand that no assurance or guar Building.	vner* of the property or properties involved in this statements and answers herein contained and the uplete, true, and correct to the best of my knowledge rantee can be given by members of Planning and
(A separate Affidavit must be provided by each	ch property owner named in the title report.)
Assessor Parcel Number(s): 67613035	5
Pri	nted Name DAVIO DUN HAM
	Signed Signed
	Address 6000 Winnemucca Ranch RD
Subscribed and sworn to before me this	Revo NV 89510
8 day of Alust , 2017.	(Notary Stamp)
R-M 1-1	College College
Notary Public in and for said county and state	RICHARD SAHLBERG Notary Public - State of Nevada
0/. /	Appointment Recorded in Washoe County
My commission expires: 8/16/2/8	No: 10-2643-2 - Expires August 20, 2018
*Owner refers to the following: (Please mark appropria	ate box.)
✓ Owner	
Corporate Officer/Partner (Provide copy of rec	ord document indicating authority to sign.)
☐ Power of Attorney (Provide copy of Power of A	attorney.)
☐ Owner Agent (Provide notarized letter from pro	operty owner giving legal authority to agent.)
☐ Property Agent (Provide copy of record docum	
☐ Letter from Government Agency with Stewards	
,	,

Property Tax Reminder Notice

Page: 1

WASHOE COUNTY PO BOX 30039 RENO, NV 89520-3039 775-328-2510 PIN: 07613035 AIN:

AUTO :895107:

DAVID W DUNHAM 6000 WINNEMUCCA RANCH RD RENO NV 89510

Balance Good Through:	08/08/2017
Current Year Balance:	\$0.00
Prior Year(s) Balance: (see below for details)	\$0.00
Total Due:	\$0.00

Description:

Situs: 6000 WINNEMUCCA RANCH RD WCTY

This is a courtesy notice. If you have an impound account through your lender or are not sure if you have an impound account and need more information, please contact your lender directly. Please submit payment for the remaining amount(s) according to the due dates shown. Always include your PIN number with your payment. Please visit our website: www.washoecounty.us/treas

Current Charges									
PIN	Year	Bill Number	Inst	Due Date	Charges	Interest	Pen/Fees	Paid	Balance
07613035	2016	2016080110	1	08/15/2016	533.89	0.00	0.00	533.89	0.00
07613035	2016		2	10/03/2016	533.89	0.00	0.00	533.89	0.00
07613035	2016		3	01/02/2017	533.89	0.00	0.00	533.89	0.00
07613035	2016		4	03/06/2017	533.88	0.00	0.00	533.88	0.00
Current Year Totals					2,135.55	0.00	0.00	2,135.55	0.00

Prior Years								
PIN	Year	Bill Number	Charges	Interest	Pen/Fees	Paid	Balance	
Prior Years Total								

Property Tax Reminder Notice

WASHOE COUNTY PO BOX 30039 RENO, NV 89520-3039 775-328-2510

AUTO

:895107:

PIN: 07613035

AIN:

08/08/2017 **Balance Good Through: Current Year Balance:** \$2,099.34 \$0.00 Prior Year(s) Balance: (see below for details)

\$2,099.34 **Total Due:**

Situs: 6000 WINNEMUCCA RANCH RD

Description:

DAVID W DUNHAM 6000 WINNEMUCCA RANCH RD

RENO NV 89510

WCTY

This is a courtesy notice. If you have an impound account through your lender or are not sure if you have an impound account and need more information, please contact your lender directly. Please submit payment for the remaining amount(s) according to the due dates shown. Always include your PIN number with your payment. Please visit our website: www.washoecounty.us/treas

Current Charges									
PIN	Year	Bill Number	Inst	Due Date	Charges	Interest	Pen/Fees	Paid	Balance
07613035	2017	2017080000	1	08/21/2017	524.84	0.00	0.00	0.00	524.84
07613035	2017		2	10/02/2017	524.84	0.00	0.00	0.00	524.84
07613035	2017		3	01/01/2018	524.83	0.00	0.00	0.00	524.83
07613035	2017		4	03/05/2018	524.83	0.00	0.00	0.00	524.83
Current Year Totals					2,099.34	0.00	0.00	0.00	2,099.34

Prior Years								
PIN	Year	Bill Number	Charges	Interest	Pen/Fees	Paid	Balance	
					- 1000 - 9-337			
Prior Years Total								

Administrative Permit Application Supplemental Information

(All required information may be separately attached)

Chapter 110 of the Washoe County Code is commonly known as the Development Code. Specific references to administrative permits may be found in Article 808, Administrative Permits.

1. What is the type of project or use being requested?

Residential detacted garage

2. What currently developed portions of the property or existing structures are going to be used with this permit?

Existing house attached by breeze way to garage.

3. What improvements (e.g. new structures, roadway improvements, utilities, sanitation, water supply, drainage, parking, signs, etc.) will have to be constructed or installed and what is the projected time frame for the completion of each?

Residential detached garage, tie in new electrical, plumbing and septic into existing

1 1	t is the inter								
	145	tre	mo	57	appt	to	00	uc	, (
What	physical c	haracteristi intensity of	cs of your le	ocation and sed use?	d/or premise	es are esp	ecially s	uited to c	leal wit
			7				-		
What the co	are the anommunity?	ticipated be	eneficial asp	ects or effe	ect your proj	ect will ha	ve on ad	ljacent pro	operties
							3		
A / I = - 4	will you d	o to minimi	ize the anti	cipated ne	gative impa	acts or effe	ect your	project v	vill hav
vnat adjace	ent propert	103:							
vnat adjace	ent propert				<u> </u>				
vvnat adjace	ent propert								
adjace	ent propert								
adjace	ent propert	100:							
adjace	ent propert								

8. Please describe operational parameters and/or voluntary conditions of approval to be imposed on the administrative permit to address community impacts.

NA

9. How many improved parking spaces, both on-site and off-site, are available or will be provided? (Please indicate on site plan.)


n/A

10. What types of landscaping (e.g. shrubs, trees, fencing, painting scheme, etc.) are proposed? (Please indicate location on site plan.)

11. What type of signs and lighting will be provided? On a separate sheet, show a depiction (height, width, construction materials, colors, illumination methods, lighting intensity, base landscaping, etc.) of each sign and the typical lighting standards. (Please indicate location of signs and lights on site plan.)

V A

□ Yes		₩ No	
Itilities:			
a. Sewer Service	S	atic	
b. Water Service	u	Sell	
d. Certificate #		acre-feet per year acre-feet per year	
nd quantity of water rig	hts you have availal	rater rights to Washoe Cour ole should dedication be requ	uired:
c. Permit #		acre-feet per year	
e. Surface Claim #		acre-feet per year	
		acre-feet per year	
f. Other, #			
	(as filed with the Servation and Natura	tate Engineer in the Divisio I Resources):	n of Water Resource



general notes:

- ALL CONSTRUCTION SHALL MEET THE CURRENT REQUIREMENTS OF THE I.R.C., WASHOE COUNTY BUILDING FLANNING DEPARTMENTS 4 ANY APPLICABLE C.C.4R'S WITHIN THIS DEVELOPMENT.
- FIELD VERIFY EXISTING SITE GRADES AND CONDITIONS.

- PROPERTY IS LOCATED IN HIGH FIRE HAZARD UILDLAND-URBAN INTERFACE (UILI) ZONE, SEE SHEET A-6 FOR UILI. REQUIREMENTS 4 NOTES.



alchipecp

5985 9f8SS Valley f08D reno, nevada 89510 775.288.1984 CELL 775.475.0796 Pax ajsalzano @ aol.com www.alsalzano.com



7-17-17

18NSHITS:	
\triangle	
2	
<u>\</u>	
4	

SILE LESENd:

	EXISTING CONTOURS
	FINISH CONTOURS
10.15	FINISH GRADES
	BUILDING ENVELOPE LINE
	DRAINAGE SLOPE - 2% P

SILE NOLES:

A-3

4-5

A-6

SDI

5D2

5D3

ME-

- I. SOILS ENGINEER SHALL EXAMINE SITE AFTER EXCAVATION AND PRIOR TO SETTING ANY CONC. FORTHS, SOILS BUSINEER RECOMPRISO ATOMS CONCERNING FOOTING SIZE, DEPTH, COMPACTION, ETC. SHALL DE FOLLOWED.
- ALL WALKS, DRIVES AND PATIOS NOTED ON SITE PLAN SHALL BE 4" CONC. WITH FIBER MESH OVER 6" TYPE-II BASE COMPACTED TO 95%.
- CARE SHALL BE TAKEN THAT ALL VEGETATION IN UNDEVELOPED AREAS IS PROTECTED DURING CONSTRUCTION. ALL VEHICLES 4 MATERIAL STORAGE SHALL BE RESTRICTED TO (E) DRIVE AREA.

aramina iuagh (E) SITE PLAN, DRAWING INDEX

(E) UPPER FLOOR PLAN

EXTERIOR ELEV., BLDG. SECTION 4 WILL NOTES

STRUCTURAL NOTES & SCHEDULES

MECHANICAL/ELECTRICAL PLANS

ROOF FRAMING PLAN

EXTERIOR ELEVATIONS

STRUCTURAL DETAILS

STRUCTURAL DETAILS


FLOOR PLAN


GRADE SITE TO DRAIN 5% MIN, FOR 10"-0" AUIAY FROM RESIDENCE.

all designs ¢ drawings as

(E) SITE PLAN DRAWING INDEX

ALL DESIGNS & DIGIWINGS AS INSTAUTIBRIS OF SERVICE BIR COPPINHE BY CHE BICHEBOS UNBURHOTIZED DUPUCATION OF DESIGNS OF DISTAURUCION OF DESIGNS OF DISTAURUCION OF DESIGNS OF DISTAURUCION OF DESIGNS OF DISTAURUCION OF Drawings is prohibiced.





FLOOF PLON
SCALE 1/4' + 1'-Ø'

(N) GARAGE AREA APPROX 1592 SQFT.

ALL OFFICE IS AT U.S. ALBERTA ARREST AND SOFT

THE OFFICE BATH/EAGIDRT AFFICOX, 440 SQFT.

TOTAL AREA APPROX. 2,040 SQFT.

(N) DECK AREA APPROX. 213 SQFT.

FLOOR PLAN NOTES:

- L EXTERIOR WALLS SHALL BE IX6 STUDS * 16* O.C. W/ MIN. 1/2* CDX PLYUD, (OR EQUAL) SHEATHING ('4' GAP * ALL EDGES VAPOR BARRIER * R-21 INSUL, 17*P. PROVIDE FOAM SILL SEAL * ALL EXTERIOR WALLS
- 2. In Guid. # walls 4 % Guid. # Ceilings typ. use % Fire-X Guid. In Garage 4 tile backer bo. In Wet Areas. Finish Drywall per ower
- TYPICAL PLATE HEIGHT IS 13'-1" AFF. (UN.O.): WINDOW HEADER HEIGHT IS 6'-8" AFF. (UN.O.): DOOR HEIGHT IS 6'-8" AFF. (UN.O.)
- ALL CEILING FRAMING SHALL BE # 24" O.C. AS FOLLOUS: 2X4"S MAX. SPAN 8"-0" 2X6"S MAX. SPAN 14"-0"
- 6. SEE EXTERIOR ELEVATIONS FOR SPECIALTY UNDOUS.
- 1. PROVIDE SILL PANS + ALL EXTERIOR DOORS 4 UNDOUS
- 8. PROVIDE FIRE BLOCKING # MAX. IØ -Ø' O.G. HORIZ. AT ANY WALL'S) THAT EXCEED IØ -Ø' IN HEIGHT.
- 9. SEE SDI FOR ADDITIONAL STRUCT, NOTES 4 SCHEDULES.

агснігвсг

5995 978SS VALLEY 1030 1600, NEVADA 89510 775.233.1984 CELL 775.475.0796 PAX 3JSALZENO @ 30LCOM WWW.4LSALZANO.COM



> Sarase addictor Davio Duntam 6000 winnemuca ranch road washoe county, nevada

> > POľ:


au desens e drawnes as nistratients de service are opprieir. By the architect. under provisors de nis cas, nieuxholised de pusición de desens di distribución de drawnes is prohibicad.

DISMINICALS


FLOOR PLAN

BIE:

H-3







SP Zano

агснісесс

5995 9(885 Valley (080 (1800, NEV8D8 89510 775,238,1984 CEU 775,475,0796 PAX 8,381,2800 @ 801,000 WWW.81,81,2800,000



garage addition
Dayb Dunkam
6000 Winnemucca ranck road
Washoe counts, nevada

POľ.


ALL DESIGNS & DIRWINGS AS INSTAUTIONS OF SERVICE BIR COPYLIGHT BY THE BICHTECT UNDER PROVISIONS OF INS 628. UNDERSIGNED DEPUTEION OF DESIGNS OF DISTAUDUCION OF DIRWINGS IS PROHIBITED.

DISANTELL

(E) UPPER FLOOR PLAN

PM.

A-A



DEFIC NGUELLATION CALC'S:

IRC. SECTION REGG 2:

TOTAL ATTIC AREA

OPENING AREA * 1/300 (182 / 300) 50% * RIDGES 4 50% * EAVES.

MIN. 2 L.F. RIDGE VENT REQ'D.

VENTING BLOCKS # 4'-9" O.C.;
66 LF. / 4 LF. + IT BLK's. × 0.081 SF/ BLK + 148 SQFT. > 130 SQFT

2.61 5QFT. 13Ø 5QFT. EACH

T82 SQFT.

Pre-Fabricated truss notes:

- USE PRE-ENGINEERED MANAFACTURED TRUSSES = 24° OC. SOLID BLOOK = SUPPORTS 4 PER MANAFACTURERS SPECIFICATIONS. USE SIMPSON H-1 = EA SUPPORT MALLIDEAT TO EA TRUSS 4 H-5 = EA SUPPORT MALLIDEAT TO EA GIRCLET TRUSS. MANA TRUSSES GIRCLET TRUSSES & SIPPORT MAIN OR AS SPECIFIED ON PLAN

roof framing notes:

- ROOF LOADS: SNOW 21* SQ. FT. : DEAD 26* SQ. FT.
- ALL FRAMING HARDWARE NOTED SHALL BE "SIMPSON" INSTALL PER MANUF, REQUIREMENTS.
- TYP, ROOF SHEATHING SHALL BE TIN, (6/3)* STRUCT, II COX PLYUD, OR OSB, PI, + 33/6 w/ 8d * 6* OZ. BOUNDARY 4 EDGES, 4* OZ. DRAG TRUSSES 14* OZ. * PIELD, SEE STRUCT, DRAINGS FOR UP., ET NALL NG ZONES, LAY PLYUD, PERP, TO SUPPORTS 4 STAGGER ALL JOINTS, TYP.
- 4. 6X6 DFT TYP, HEADER UNO.
- 5. PROVIDE 2X8 FASCIA W SHEET METAL DRIP FLASHING, TYP.
- PROVIDE ROOF VENTILATION PER IR.C. (1 SQFT, PER EA. 300 SQF OF ATTIC AREA), SEE ATTIC VENTILATION CALC'S, PROVIDE R-36 NSUL, THROUGHOUT ATTIC W INSUL BAPILES * EAVE VENTS, TYP.
- USE 24-16-0 BETWEEN TOP PLATE (T.R.) SPLICES W/ MIN. 6'-0' LAP TYP, UN.O.
- 8. USE 2X4 FLAT w/ 2X6 STRONGBACK * 24" O.C. * GABLE END FRAMING.
- 9. SEE SHEET SO-I FOR ADDITIONAL STRUCTURAL NOTES 4 SCHEDULES.
- ID. SEE TRUSS CALC'S 4 DETAIL 6 FOR PERMANENT LATERAL TRUSS BRACING SPEC'S. 503

alchipecp

5985 9fass valley foad reno, nevada 89510 775.233.1984 CBU 775.475.0796 Pax ajsalzano @ aol.com www.alsalzano.com



FI-FI-F

	-	-	-	•	
(BASINS					
\triangle					
2					
3					
4					

Sarase accilción Davio Duniam 6000 Winnemucca rancificado Washoe counci, nevada


POľ:

ALL DESIGNS & DISWINGS AS INSTRUMENTS OF SERVICE AND COPYMENTS OF USE SEA. UNDER PROVISIONS OF INS GEA. UNDERSIGNED OF DISSION OF DESIGNS OF DISTRUBUTION OF DISWINGS IS PROHERCED.

DISANS CALIB

ROOF FRAMING


A-5





No. 2119

7-17-17



PI NOIJOS COIDJIUd

WILDRO Urban Interface notes:

- ALL EXTERIOR BUILDING MATERIALS MUST COMPLY w/ 2012 WILDLAND URBAN INTERFACE (WILL) CODE FOR NEW CONSTRUCTION.
- ALL BUILDING MATERIAL MUST BE INSTALLED FER MANUP, DETAILS 4 SPEC'S, SEE EXTERIOR ELEVATIONS 4 BUILDING SECTIONS FOR LOCATION 4 DETAILS OF BUILDING MATERIALS LISTED BELOW.
- PROPERTY IS DESIGNATED AS HIGH FIRE HAZARD', WUI. TABLE 503.1 w/ DEFENSIBLE SPACE 4 NON-CONFORMING WATER SUPPLY * IR2 (CLASS 2) CONSTRUCTION RECOT

PROPOSED (WILL) BUILDING STANDARDS

- ROOFING MATERIAL:
 ASPHALT ROOF SHINGLES, CLASS 'B' FIRE-RESISTIVE. INSTALL PER
 MANUF, 4 CHAPTER 9 OF THE IRC.
- ROOF VALLEYS: I'N, 0509 NO. 26 GA, CALV, SHEET PETAL, INSTALLED OVER NOT LESS THAN CAR I'LLAYER OF HIN. 129 HINGRAL, SURFACED NON-SERFORATED CAP SHEET, HIN. 36' BIDE RENNING THE PALL VALLEY LENGTH.
- ROOF GUTTERS: THAT BE NON-COMBUSTIBLE MATERIAL & PROVIDED W/ THE MEANS TO PREVENT THE ACCUMULATION OF LEAVES & DEBRIS IN THE GUTTER.
- VENTS. EAVE VENTS SHALL DE FIRE-RATED, "VULCAN INDUSTRIES" OR EQUAL INSTALL PER MANUF.

EXTERIOR COVERINGS:

- EXTERIOR UNDOUS 4 GLAZED DOOR ASSEMBLIES: EXTERIOR UNDOUS 4 GLAZED DOOR ASSEMBLIES SHALL BE CONST. OF INJ. 11-PANE GLAZING OR TEMPERED GLASS.

DEFENSIBLE SPACE

- THE ENFORCEMENT OF DEFENSIBLE SPACE 4 INSPECTION SHALL BE PERFORMED BY THE LOCAL JURISDICTION HAVING AUTHORITY.

au nesigns e nrawings as au desens e drawines es instruments de service en copyriène by the dichicect unde provisions de ris sea uneuranced dupuesan de designs di distrubution de drawines is proheiced.


EXTERIOR ELEVATION, BLDG. SECTION 4 WW.I. NOTES


1749

R-6



WADMIN17-0007 EXHIBIT D





UPPER FLOOR MECH./ELEC. PLON MECH./ELEC.

mech./elec. Lesend:

€ 10 V. DUPLEX OUTLET - GFI WHERE NOTED

120 V. OUTLET (PROVIDE DISCONNECT + A/C CONDENSER)

(1) IIO A. J. BOX

SWITCH - DIMMER (D): 3-WAY (3) PILOT LIGHT (PL): AS NOTED.

RECESSED LIGHT - PROVIDE DIPPERS * ALL CIRCUITS * LENS
IN WATER AREAS, CLOSETS * * EXTERIOR. FIXTURES INSTALLE
IN WET LOCATIONS SHALL BE MARKED AS SUCH.

SURFACE MOUNTED LIGHT - CHANDELIER (CH)

WALL MOUNTED LIGHT

FAN OR FAN/LIGHT - V.T.O.

TELEPHONE - CATEGORY 5 WRING

▲ CABLE T.V. - RG 6 WIRING

GAS STUB (G.) - WATER STUB (W.)

NOTES:

LALL WORK SHALL BE IN ACCORDANCE WITH THE NEC. 4 I.R.C. AS AMENDED BY THE LOCAL GOVERNING AUTHORITY.

2. ALL SUITCHES SHALL BE LOCATED CLEAR OF DOOR SUINGS.

3. SEE SHEET A-3 FOR ANY MINOR MODIFICATIONS TO FLOOR PLAN.
4. ALL EXTERIOR OUTLETS 4 FIXTURES SHALL BE WATERPROOF.

5. ALL GARAGE CUTLETS SHALL DE GFI 4 MTD. * 18" AFF. MIN.

 A MN. OF 15% OF LAMPS IN PERMANENTLY INSTALLED FIXTURES SHALL BE HIGH EFFICACY LAMPS.

SI Zan

alchipecp

5995 9f8SS Valley (080 feno, nevada 89510 775,289,1984 Celu 775,475,0796 Pax 8J\$81Z800 @ 30LCOM WWW.8LS8LZ800.COM



J-1J-1J

<u>^</u>

<u>^</u>

 \triangle

SOFOSE SCIETON
DAYD DURBM
6000 WINNEMUCS RANCH 1080
WSSHOB COUNCY, NAYSOB

ALL DESIGNS & DRAWINGS AS INSCRUMENTS OF SALVIDE ARE COPYRIGHT BY THE BROWNESS UNDER PROVISIONS OF INS 628. UNDERSHOUGHD OF INSERTION OF DESIGNS OF DISTRIBUTION OF DRAWINGS IS PROHIBITED.

POĽ:

DISWARD CATES

MECH/ELEC. PLANS

100.

MŒ-1

ECANDATION/FLOOR FRANKS INTES

ALL STEROIS WALLS SHALL BY CONCIORED SEASONALS HALD AS TITY "I HALD

ALL STEROIS WALLS SHALL BY "T.S., AN ARTITO STUD-1-FLOOR, APPLY FAX GRANA/LOSS
(SEE SEASONAL SCREELL), SIES GALMANDED MAILS OR ALL MALS NOT SILL PLATES.

PLACE SEASONAL SCREELL), SIES GALMANDED MAILS OR ALL MALS NOT SILL PLATES.

PLACE SEASONAL SCREELL, SIES GALMANDED MAILS OR ALL MALS NOT SILL PLATES.

DOAL OF "O.C. AT ALL EXCESS AND BEDRAMBES (BLOCKA AT INTERSOR SEASONAL SILL STUD-1-FLOOR AT THE SEASONAL STUD-1-FLOOR AT THE SEASONAL SEASONAL SILL STUD-1-FLOOR AT THE SEASONAL SEASONAL SEASONAL SILL STUD-1-FLOOR AT THE SEASONAL SEASONAL SEASONAL SILL STUD-1-FLOOR AT THE SEASONAL S PROJECT STRUCTURAL NOTES ASSITIETIC DIGINEERING ASSITIES THAT THE GENERAL CONTRACTOR AND ALL INVOLVED PARTIES HAVE READ AND INDEPSTAND NOTES LISTED IN PLANS. HOLDOWN SCHEDULE FOOTING SCHEDULE GENERAL

ALL HORS, ESTAINS OF DESIGN, HORSTWINSER, AND INVESTIGATES SHALL CONTROL TO

ALL HORS, ESTAINS OF DESIGN, HORSTWINSER, AND INVESTIGATS SHALL CONTROL TO

THE STITISHATOM, COPPERAGE OF BULDING OFFICIALS AND THE APPLICABLE

CONTROL TO BULDING COSTS.

STREET, AND THE PLANS THE PROPERTY STREET, AND THE APPLICABLE

OR COSTO IN ANY INTERFANCE THE FLANS ARE THET TO BE ASSOCIATED ON A THEO

OR COSTO IN ANY INTERFANCE THE FLANS ARE THET TO BE ASSOCIATED AS THE PROPERTY SHALL BY

THE MANUFACTION BRUGE OF THESE THEM BY A THEORY MATTY. THE HIRD PROPERTY SHALL

SHAPPING TO SHALL BE READ TO THE PROPERTY SHALL BY

THE MATTHET CONCRETED AND THE PROPERTY SHALL BY

THE ATM THE CONCRETED AND THE PROPERTY SHALL BY

THE ATM THE CONCRETED AND THE PROPERTY SHALL BY

THE ATM THE CONCRETED AND THE PROPERTY SHALL BY

THE CONTRACTOR SHALL BY HER DESIGNABLE FOR THE BEAUTH OF ANY BROSS.

THE CONTRACTOR SHALL BY HER DESIGNABLE FOR THE BEAUTH OF ANY BROSS.

THE CONTRACTOR SHALL BY HER DESIGNABLE FOR THE BEAUTH OF ANY BROSS.

THE CONTRACTOR SHALL BY HER DESIGNABLE FOR THE BEAUTH OF ANY BROSS.

THE CONTRACTOR SHALL BY HER DESIGNABLE FOR THE BEAUTH OF ANY BROSS.

THE CONTRACTOR SHALL BY HER DESIGNABLE FOR THE BEAUTH OF ANY BROSS.

THE CONTRACTOR SHALL BY HER DESIGNABLE FOR THE BEAUTH OF ANY BROSS.

THE CONTRACTOR SHALL BY HER DESIGNABLE FOR THE BEAUTH OF ANY BROSS.

THE CONTRACTOR SHALL BY HER DESIGNABLE FOR THE PROPERTY OF ANY BROSS.

THE CONTRACTOR SHALL BY HER DESIGNABLE FOR THE SHALL BY THE ANY BROSS.

THE CONTRACTOR SHALL BY HER DESIGNABLE FOR THE SHALL BY THE ANY BROSS.

THE CONTRACTOR SHALL BY HER DESIGNABLE FOR THE SHALL BY THE ANY BROSS.

THE CONTRACTOR SHALL BY HER DESIGNABLE FOR THE SHALL BY THE ANY BROSS.

THE CONTRACTOR SHALL BY HER DESIGNABLE FOR THE SHALL BY THE ANY BROSS.

THE CONTRACTOR SHALL BY HER DESIGNABLE FOR THE SHALL BY THE ANY BROSS.

THE CONTRACTOR SHALL BY HER DESIGNABLE FOR THE SHALL BY THE ANY BROSS.

THE CONTRACTOR SHALL BY HER DESIGNABLE FOR THE SHALL BY THE ANY BROSS.

THE CONTRACTOR SHALL BY HER DESIGNAB STRIKTURAL STEEL

STEEL

STEEL

STRIKTURAL STEEL

STEEL AESTHETIC [STRUCTURAL STEEL FLOOR TO FOUNDATION HOLDOWNS SPREAD FOOTINGS HOLDOWN -SYMBOL. MONO-POUR **ENGINEERING** N/A N/A (15) Ю HTTS H-10 95TBI4 SSTROO DRIL STUDS (21) (775) 329-2382 fax (3) 84 # BOTTOM 21 10 HDU4-5D52,5 95TB16 140 W. Huffaker Lane Suite 505 Reno, Nevada 89511 STHD14 N/A N/A DBL, STUDS 24 24 10 HTT5KT 95TB24 SSTB24 DBL, STUDS www.aeseng.net 28 (3) #4 # BOTTOM HDU5-SD62,5 ASTM 307 \$10 ASTM 307 \$10 DBL, STUDS 26 tz 55TB26 55TB34 55TB26 55TB34 HDU8-5052,5 32 (4) 84 # BOTTOM H-12 32 12 N/A 36 36 12 (4) 84 # BOTTOM HDUII-SDS2,5 ASTM 307 I*# ASTM 307 I*# PER PLAN (2) (6) 84 BOTTON or 4d H-14 H4D04-SD52,5 ASTH 307 I*# ASTH 307 I*# SOUTH FLACED AND DIRECTED BY THE CHARACTAL INSECT.

SOUTH FLACED AND DIRECTED BY THE CHARACTAL THE LOSS MAD FORCEDOR (AND MISSEL).

R AN APPROVED PROSECULATE 900.

R AN APPROVED PROVIDE THE CERTIFICATION OF COPENINGE THAT THE MOSE MAD FRENCHED BY AN APPROVED PROVIDED THE STATE OF THE PROVIDED THAT THE MOSE MAD THE PROVIDED THAT THE PROVIDE THAT THE PROVIDED THAT THE PROVIDE THAT THE PROVIDED THAT THE PROV PER PLAN 48 46 14 (54) 54 14 (7) 84 # BOTTOM H-15 HDM ASTM 307 IN* ASTM 307 IN* PER PLAN County, (60) 60 16 FLOOR TO FLOOR HOLDOWNS SITE WORK SITE MORK

ASTRICT, DEBERGERING MAY NOT MAKE A GESTIONACAL BOVEN OF THE BILLDING STEE

ASTRICT, ASSESSED AND ASSESSED AS OLD MOT REQUEST,

ASSISTED AS SETS OF A GENERAL BENERIES OF A DAVISED CHILD MORRIEST TO

A SIVENDA OF THE SETS OF A GENERAL BENERIES OF A DAVISED CHILD MORRIEST

2. DIALDING STEE ARE ASSISTED TO BE ERANGED AND FREE OF CLAY OF DEPONENT SOL.

ALL ICOTATION SHALL BE LEFT, OR STREPPED AND DEAN OF PREST, STREET, MATERIAL,

A FERRELIZE, OR EXTREME STEED, ALL OTHER CONTINUE (BY OR 25' OR 4 HOLDOWN DESIGNATION 66 HOLDOWN REQUIRED HOLDOWN POST DO. H-I MSTC40 DBL. STUDS LARGE CAPACITY HOLDOWN FOOTINGS H-2 MSTC52 d DBL, STUDS H-3 MSTC44 DBL, STUDS (F2) 40 (3) #4 0 TOP 4 BOTT. d 40 H-5 loga chistia DBL, STUDS (F3) (3) 84 8 TOP 4 BOTT. 42 42 DBL, STUDS DETERMED AND NERSEASE IN ACCORDANCE WITH BE. TACKLE SHOUL.

I, FILL AND DAKKELL

I, FILL ANTENAL SHALL BE FER FROT DEBRS, YISSETATION, AND OTHER FOREIGN

BASSTAKES.

2, MACFULL TIBERIASE SHALL BE CAPPACTED TO SEE DEBRTY FER ASTIT 565 TO HITHIN 12°

2, MACFULL TIPERIASE SHALL BE CAPPACTED BY SHALL BE ADSCRIPT BY ASTIT 565 TO HITHIN 12°

4, MATERIASE FREEDESS SHALL BE COPPACTED BY SHALL SEE ADSCRIPT TO USABLE SPACES.

4, MATERIASE OF ALL FORMATION HALLS ADJACEDT TO USABLE SPACES.

5, MAL BACKFULL ASHITS TOWNERS OF ALL FORMATION HALLS ADJACEDT TO USABLE SPACES.

5, MAL BACKFUL ASHITS TOWNERS OF ALL FORMATION HALLS SHALL STORE THE REPORTSHIPS.

5, MAL BACKFUL ASHITS TOWNERS ON HALLS BY A STATEMEN HALLS TO BE THE REPORTSHIPS.

5, MAL BACKFUL ASHITS TOWNERS ON HALLS BY A STATEMEN HALLS SHALL BY THE STATEMENT OF THE RESEATIVE DOBSTIT. SIMPSON STEEL STRONGWALL FOOTINGS (2) HHDQH4 6x6 or 4x5 w/ I*# A.T.R. SYMBOL. HOLDOWN NOTES: CLOCKN NOTES:

BETLAL ALL DELOCASE PER INANFACTURER'S SPECIFICATIONS PARTAINING REQUIRED

BETLAL ALL DELOCASE PER INANFACTURER'S SPECIFICATIONS PARTAINING REQUIRED

BETLAL ALL DELOCASE PER INANGALISMENT OR SOSTIB DATA:

ROSSIBLE ALL SECTION SHALL BE COTTECTURER'S () ROSSIBLE DATA

B. SOTTOM - 10% () (ma). NOT CORRECT STITMFALL

4. SOTTOM - 10% () (ma). NOT CORRECT STITMFALL

4. SOTTOM - 10% () (ma). NOT CORRECT STITMFALL

5. SOTTOM - 10% () (ma). NOT CORRECT STITMFALL

6. SOTTOM - 10% () (ma). NOT CORRECT STITMFALL

6. SOTTOM - 10% () (ma). NOT CORRECT STITMFALL

6. SOTTOM - 10% () (ma). NOT CORRECT STITMFALL

6. SOTTOM - 10% () (ma). NOT CORRECT STITMFALL

6. SOTTOM - 10% () (ma). NOT CORRECT STITMFALL

6. SOTTOM - 10% () (ma). NOT CORRECT STITMFALL

8. SOTTOM - 10% () (ma). NOT CORRECT STITMFALL

8. SOTTOM - 10% () (ma). NOT CORRECT STITMFALL

8. SOTTOM - 10% () (ma). NOT CORRECT STITMFALL

8. SOTTOM - 10% () (ma). NOT CORRECT STITMFALL

9. SOTTOM - 10% () (ma). NOT CORRECT STITMFALL

9. SOTTOM - 10% () (ma). NOT CORRECT STITMFALL

10% () (ma). NOT CORRECT B (si) 45 x 33 nuh (92) Ranch (93) 66 x 48 #4 # 6" O.C. TOP # BOTT. 21 SHOULDHALE

(LEMPORCID CONCRETE MORK SHALL CONFORM TO APPLICABLE REQUIREMENTS OF THE 20/2

R. SEC. PRI-PRIS AND ACI 589

(R. SEC. PRI-PRIS AND ACI 589

(L. CARCENTE STOOPS TO BE THICHMED MORE AND PLACED IN ACCORDANCE HITH BC

SCITCINI PRIS.

(CONCRETE STOOPS TO BE THICHMED MORE AND PLACED IN ACCORDANCE HITH BC

SCITCINI PRIS. (54) #4 # 8" O.C. TOP # BOTT. 69 x 48 21 E. COMERTY STORM YOU ARE THE MARKED AND PLACED THE STORM CONCRETE THAT HE CANCELLY STORM YOU ARE THE MARKED AND PLACED AN (95) 72 × 45 21 SILL PLATE AND ANCHOR BOLTS: USE 36 PRESSURE TREATED SILL WITH \$ 402 ANCHOR BOLTS W 35577 PLATE HASHERS AT 45 ON CENTER. (UNLESS NOTED OTHERWISE) SHEATHING THICKNESS NAIL EDGE NAIL FIELD NAIL (midmen) SIZE SPACING SPACING SPECIAL INSPECTIONS 1
THE FOLLOWING SPECIAL INSPECTIONS SHALL BE PERFORMED BE CERTIFIED SPECIAL INSPECTORS. 1 COMMON ABBREVIATIONS 361 8d 6* 12* IL AGDIBBES AND CONNECTORS IN CONTACT WITH PRESENTATION—TEATED AND PRESETTAMENT NOOD SHALL TEST THE REQUIREMENTS OF THE 200 BE SETTAMEN AND PRESETTAMENT NOOD SHALL TEST THE REQUIREMENTS OF THE 200 BE SETTAMEN SHALL THE PROPERTY OF THE 200 BE SETTAMEN SHALL THE PROPERTY OF THE 200 BE SETTAMEN STAGES

FOR THE PROPERTY OF THE PROPERTY OF THE 200 BE SETTAMEN OF COSE BEAVALOTE, THE AGDITORY OF THE PROPERTY OF TH I, SIMPSON STEEL STRONGHALL INSTALLATION ~ PERIODIC, 2, ALL FIELD STEEL WELDING ~ PERIODIC, 3, DRY-PACK GROUT PLACEMENT (8 KSI Min.) ~ PERIODIC, 1 3/1 8d 4* 12* AICHOR BOLT
ALL THREAD ROD
BOTH SIDES
BOTTOH
CANTILLYBR
CANTILLYBR
CONTROL. JOHN
DAVIETER
DOUBLE
DOUBLAS FIR
EACH HAY
EDGE MAI
EDGE MAI
ETERDOUBLE
DOUBLAS FIR
EACH HAY
EDGE MAI
ETERDOUBLE
ETERDOUBLE <u>\$</u> 3, 8d 3x (min.) FRAMING AT ADJOINING PANEL EDGES 2 30 8d 2* 3x (min.) FRAMING AT ADJOINING PANEL EDGES Trevor J. Averett, P.E. ALL CONCEST HASONY INITS SWALL CONDRIVED ASTER OR, GRADE N. PT1 = 800 PSI.

LEG. 60 PC INSTALL HEADY UNITS AWAY, GRADE AND 10 PC7 INSTALL HEADY UNITS AWAY, GRADE AWAY, GRAD AWAY, GRADE AWAY, GRA 2 31 3x (min.) FRAMING AT ADJONING PANEL EDGES 104 24 BOTH SIDES 3x (mln.) FRAMING AT ADJOINING PANEL EDGES DRILL AND EPOXY NOTES & SPECIFICATIONS 8d 3* BOTH SIDES 紐 BORE HOLE MIN, REGID DIAMETER EMBEDMENT 8d 28 12" 3x (min.) FRAMING AT ADJOINING PANEL EDGES PRISES
PR SET-XP 41 SET-XP \$ ATR SHEARWALL NOTES: R.F.B. 84 8 SET-XP SHEARALL NOTES;

LIFE APALADID SERVING COPPORTING TO PS 1-96 (DICEPT GROUP 5 SPECIES),

ALL THE APALADID SERVING COPPORTING TO PS 1-96 (DICEPT GROUP 5 SPECIES),

ALL THE APALADID SERVING THE APALADID SERVICE SERVICE (U.M.O.)

ALL THE APALADID SERVING THE APALADID SERVICE SERVICE (U.M.O.)

ALL THE APALADID SERVING THE APALADID SERVICE SERVICE SERVING THE APALADID S \$'0 A.T.R. 128 R.F.B #5 SET-XP PERMOGNIE IN STRAIGHT HTT16 128 SET-XP Revisions 128 HTT22 SFT-YP HDU4-9D92,5 12* HDU5-5D52,5 SET-XP % ATR 1515" ANCHOR BOLT NOTES SET-XP NSAME BOLL NOTES:

A LAL ADDRESS DESTINATION OF PROMOTION PLAN AS A ANDRESS DESTINATION OF PROMOTION PLAN AS A PROMOTION ADDRESS AT ALL ANGLES BOLTS.

PROVIDE ANGLOS DATA INTIN 4" OF JUAN SIDE OF PLANS SPLICE OR NOTON, DO NOT COMPITIONS. ADDRESS AND TIS NOT SILE PLATES. 4" 15kj* HDU8-5D52.5 SET-XP Drawn HDQ8-SDS8 Checked SET-XP Project No. 17034 161 HDUII-5D52,5 SET-XP Structural Notes 10* STEEL
TOE NAL.
TONGUE 4 GROOVE
TOP 4 BOTTOM
TOP PLATE
TURE STEEL
TTPICAL
UNLESS NOTED OTHERWISE
VERTICAL
WELDED HIRE FABRIC HHDdti-SDS2.5 13," SET-XP and Schedules HHDQ14-5D52.5 D S₆ = 1.42g C₆ = 0.146 D S₁ = 0.50g R = 6.5 Vutt= 130 mph 4 Vaad= 101 mph. SEISMIC SITE CLASS. SEISPIC SITE CLASSI SEISPIC DESIGN CATEGORY; HIND SPEED! HIND EXPOSURE; TOUGH ALL IMMINISTERS SPECIFICATIONS.
1. FOLLOW ALL IMMINISTERS SPECIFICATIONS.
3. USE SET-NP SPROY INVESTIGATIONS.
4. THE SECULIAR SPECIFICATION OF SECULIAR SPECIAL SD-WELDED HIRE FABRIC HELDED HIRE MESH SOIL BEARING PRESSURE FLOOR LIVE LOAD = 40 PSF ROOF LIVE LOAD . 21 PSF

