

6/6/2019

Washoe County Water Resources/CSD
PO Box 11130
Reno, NV 89502
Attn: Lydia Peri

OrderID: 19050697

Dear: Lydia Peri

This is to transmit the attached analytical report. The analytical data and information contained therein was generated using specified or selected methods contained in references, such as Standard Methods for the Examination of Water and Wastewater, online edition, Methods for Determination of Organic Compounds in Drinking Water, EPA-600/4-79-020, and Test Methods for Evaluation of Solid Waste, Physical/Chemical Methods (SW846) Third Edition.

The samples were received by WETLAB-Western Environmental Testing Laboratory in good condition on 5/23/2019. Additional comments are located on page 2 of this report.

If you should have any questions or comments regarding this report, please do not hesitate to call.

Sincerely,



Andy Smith
QA Manager

SPARKS

475 E. Greg Street, Suite 119
Sparks, Nevada 89431
tel (775) 355-0202
fax (775) 355-0817
EPA LAB ID: NV00925 - ELAP No: 2523

ELKO

1084 Lamaille Hwy
Elko, Nevada 89801
tel (775) 777-9933
fax (775) 777-9933
EPA LAB ID: NV00926

LAS VEGAS

3230 Polaris Ave. Suite 4
Las Vegas, Nevada 89102
tel (702) 475-8899
fax (702) 622-2868
EPA LAB ID: NV00932

Western Environmental Testing Laboratory

Report Comments

Washoe County Water Resources/CSD - 19050697

Specific Report Comments

The analysis of the laboratory method blank revealed concentrations of BOD above the method required limit during the analysis of the submitted samples. We apologize for any inconvenience this may have caused.

Report Legend

- B -- Blank contamination; Analyte detected above the method reporting limit in an associated blank
- D -- Due to the sample matrix dilution was required in order to properly detect and report the analyte. The reporting limit has been adjusted accordingly.
- HT -- Sample analyzed beyond the accepted holding time
- J -- The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit
- K -- The TPH Diesel Concentration reported here likely includes some heavier TPH Oil hydrocarbons reported in the TPH Diesel range as per EPA 8015.
- L -- The TPH Oil Concentration reported here likely includes some lighter TPH Diesel hydrocarbons reported in the TPH Oil range as per EPA 8015.
- M -- The matrix spike/matrix spike duplicate (MS/MSD) values for the analysis of this parameter were outside acceptance criteria due to probable matrix interference. The reported result should be considered an estimate.
- N -- There was insufficient sample available to perform a spike and/or duplicate on this analytical batch.
- NC -- Not calculated due to matrix interference
- QD -- The sample duplicate or matrix spike duplicate analysis demonstrated sample imprecision. The reported result should be considered an estimate.
- QL -- The result for the laboratory control sample (LCS) was outside WETLAB acceptance criteria and reanalysis was not possible. The reported data should be considered an estimate.
- S -- Surrogate recovery was outside of laboratory acceptance limits due to matrix interference. The associated blank and LCS surrogate recovery was within acceptance limits
- SC -- Spike recovery not calculated. Sample concentration >4X the spike amount; therefore, the spike could not be adequately recovered
- U -- The analyte was analyzed for, but was not detected above the level of the reported sample reporting/quantitation limit

General Lab Comments

Per method recommendation (section 4.4), Samples analyzed by methods EPA 300.0 and EPA 300.1 have been filtered prior to analysis.

The following is an interpretation of the results from EPA method 9223B:

A result of zero (0) indicates absence for both coliform and Escherichia coli meaning the water meets the microbiological requirements of the U.S. EPA Safe Drinking Water Act (SDWA). A result of one (1) for either test indicates presence and the water does not meet the SDWA requirements. Waters with positive tests should be disinfected by a certified water treatment operator and retested.

Per federal regulation the holding time for the following parameters in aqueous/water samples is 15 minutes: Residual Chlorine, pH, Dissolved Oxygen, Sulfite.

SPARKS

475 E. Greg Street, Suite 119
Sparks, Nevada 89431
tel (775) 355-0202
fax (775) 355-0817
EPA LAB ID: NV00925 - ELAP No: 2523

ELKO

1084 Lamaille Hwy
Elko, Nevada 89801
tel (775) 777-9933
fax (775) 777-9933
EPA LAB ID: NV00926

LAS VEGAS

3230 Polaris Ave. Suite 4
Las Vegas, Nevada 89102
tel (702) 475-8899
fax (702) 622-2868
EPA LAB ID: NV00932

Western Environmental Testing Laboratory

Analytical Report

Washoe County Water Resources/CSD

PO Box 11130

Reno, NV 89502

Attn: Lydia Peri

Phone: (775) 954-4612 Fax:

PO\Project: Swan Lake / io 49300

Date Printed: 6/6/2019

OrderID: 19050697

Customer Sample ID: Compton

Collect Date/Time: 5/23/2019 10:20

WETLAB Sample ID: 19050697-001

Receive Date: 5/23/2019 10:53

Analyte	Method	Results	Units	DF	RL	Analyzed	LabID
<u>General Chemistry</u>							
Ammonia, as Nitrogen	SM 4500 NH3 D	ND	M mg/L	1	0.050	6/1/2019	NV00925
Total Phosphorous as P	SM 4500-P E	0.99	mg/L	1	0.020	5/24/2019	NV00925
Total Suspended Solids (TSS)	SM 2540D	ND	mg/L	1	10	5/24/2019	NV00925
Biochemical Oxygen Demand	SM 5210B	5.5	B mg/L	1	2.0	5/23/2019	NV00925
Total Nitrogen	Calc.	1.3	mg/L	1	0.50	5/31/2019	NV00925
Total Cyanide	SM 4500CNC	ND	mg/L	1	0.015	6/3/2019	NV00925
Total Dissolved Solids (TDS)	SM 2540C	620	mg/L	1	25	5/30/2019	NV00925
<u>Microbiological Analyses</u>							
Total Coliform (MPN)	SM 9223B (Quantitray)	980.4	MPN/100ml	1	1.0	5/23/2019	NV00925
Escherichia Coli (MPN)	SM 9223B (Quantitray)	2.0	MPN/100ml	1	1.0	5/23/2019	NV00925
<u>Anions by Ion Chromatography</u>							
Chloride	EPA 300.0	89	mg/L	5	5.0	5/24/2019	NV00925
Sulfate	EPA 300.0	110	mg/L	5	7.5	5/24/2019	NV00925
<u>Flow Injection Analyses</u>							
Nitrate + Nitrite Nitrogen	EPA 353.2	ND	mg/L	5	0.10	5/31/2019	NV00925
Total Kjeldahl Nitrogen	EPA 351.2	1.3	mg/L	1	0.40	5/30/2019	NV00925
<u>Trace Metals by ICP-OES</u>							
Barium	EPA 200.7	ND	mg/L	1	0.020	5/31/2019	NV00925
Beryllium	EPA 200.7	ND	mg/L	1	0.0010	5/31/2019	NV00925
Cadmium	EPA 200.7	ND	mg/L	1	0.0010	5/31/2019	NV00925
Chromium	EPA 200.7	ND	mg/L	1	0.0050	5/31/2019	NV00925
Nickel	EPA 200.7	ND	mg/L	1	0.030	5/31/2019	NV00925
<u>Trace Metals by ICP-MS</u>							
Antimony	EPA 200.8	ND	mg/L	1	0.0025	5/30/2019	NV00925
Arsenic	EPA 200.8	0.023	mg/L	1	0.0050	5/30/2019	NV00925
Selenium	EPA 200.8	ND	mg/L	1	0.0050	5/30/2019	NV00925
Thallium	EPA 200.8	ND	mg/L	1	0.0010	5/30/2019	NV00925
<u>Mercury by CVAA</u>							
Mercury	EPA 245.1	ND	mg/L	1	0.00025	5/29/2019	NV00925
<u>Sample Preparation</u>							
Trace Metals Digestion	EPA 200.2	Complete		1		5/29/2019	NV00925

DF=Dilution Factor, RL=Reporting Limit, ND=Not Detected or <RL

Page 3 of 6

SPARKS

475 E. Greg Street, Suite 119
 Sparks, Nevada 89431
 tel (775) 355-0202
 fax (775) 355-0817
 EPA LAB ID: NV00925 - ELAP No: 2523

ELKO

1084 Lamoille Hwy
 Elko, Nevada 89801
 tel (775) 777-9933
 fax (775) 777-9933
 EPA LAB ID: NV00926

LAS VEGAS

3230 Polaris Ave. Suite 4
 Las Vegas, Nevada 89102
 tel (702) 475-8899
 fax (702) 622-2868
 EPA LAB ID: NV00926

Customer Sample ID: Pompe

Collect Date/Time: 5/23/2019 09:58

WETLAB Sample ID: 19050697-002

Receive Date: 5/23/2019 10:53

Analyte	Method	Results	Units	DF	RL	Analyzed	LabID
General Chemistry							
Ammonia, as Nitrogen	SM 4500 NH3 D	ND	mg/L	1	0.050	6/1/2019	NV00925
Total Phosphorous as P	SM 4500-P E	0.83	mg/L	1	0.020	5/24/2019	NV00925
Total Suspended Solids (TSS)	SM 2540D	ND	mg/L	1	10	5/24/2019	NV00925
Biochemical Oxygen Demand	SM 5210B	5.3	mg/L	1	2.0	5/23/2019	NV00925
Total Nitrogen	Calc.	1.4	mg/L	1	0.50	5/31/2019	NV00925
Total Cyanide	SM 4500CNC	ND	mg/L	1	0.015	6/5/2019	NV00925
Total Dissolved Solids (TDS)	SM 2540C	570	mg/L	1	25	5/30/2019	NV00925
Microbiological Analyses							
Total Coliform (MPN)	SM 9223B (Quantitray)	93.4	MPN/100ml	1	1.0	5/23/2019	NV00925
Escherichia Coli (MPN)	SM 9223B (Quantitray)	24.3	MPN/100ml	1	1.0	5/23/2019	NV00925
Anions by Ion Chromatography							
Chloride	EPA 300.0	83	mg/L	5	5.0	5/23/2019	NV00925
Sulfate	EPA 300.0	89	mg/L	5	7.5	5/23/2019	NV00925
Flow Injection Analyses							
Nitrate + Nitrite Nitrogen	EPA 353.2	ND	mg/L	5	0.10	5/31/2019	NV00925
Total Kjeldahl Nitrogen	EPA 351.2	1.4	mg/L	1	0.40	5/30/2019	NV00925
Trace Metals by ICP-OES							
Barium	EPA 200.7	0.031	mg/L	1	0.020	5/31/2019	NV00925
Beryllium	EPA 200.7	ND	mg/L	1	0.0010	5/31/2019	NV00925
Cadmium	EPA 200.7	ND	mg/L	1	0.0010	5/31/2019	NV00925
Chromium	EPA 200.7	ND	mg/L	1	0.0050	5/31/2019	NV00925
Nickel	EPA 200.7	ND	mg/L	1	0.030	5/31/2019	NV00925
Trace Metals by ICP-MS							
Antimony	EPA 200.8	ND	mg/L	1	0.0025	5/30/2019	NV00925
Arsenic	EPA 200.8	0.024	mg/L	1	0.0050	5/30/2019	NV00925
Selenium	EPA 200.8	ND	mg/L	1	0.0050	5/30/2019	NV00925
Thallium	EPA 200.8	ND	mg/L	1	0.0010	5/30/2019	NV00925
Mercury by CVAA							
Mercury	EPA 245.1	ND	mg/L	1	0.00025	5/29/2019	NV00925
Sample Preparation							
Trace Metals Digestion	EPA 200.2	Complete		1		5/29/2019	NV00925

DF=Dilution Factor, RL=Reporting Limit, ND=Not Detected or <RL

Page 4 of 6

SPARKS

475 E. Greg Street, Suite 119
 Sparks, Nevada 89431
 tel (775) 355-0202
 fax (775) 355-0817
 EPA LAB ID: NV00925 - ELAP No: 2523

ELKO

1084 Lamaille Hwy
 Elko, Nevada 89801
 tel (775) 777-9933
 fax (775) 777-9933
 EPA LAB ID: NV00926

LAS VEGAS

3230 Polaris Ave. Suite 4
 Las Vegas, Nevada 89102
 tel (702) 475-8899
 fax (702) 622-2868
 EPA LAB ID: NV00926

Western Environmental Testing Laboratory QC Report

QCBatchID	QCType	Parameter	Method	Result	Actual	% Rec	Units
QC19050930	Blank 1	Chloride	EPA 300.0	ND			mg/L
		Sulfate	EPA 300.0	ND			mg/L
QC19050961	Blank 1	Total Phosphorous as P	SM 4500-P E	ND			mg/L
QC19050976	Blank 1	Total Coliform (MPN)	SM 9223B (Qu	ND			MPN/100ml
		Escherichia Coli (MPN)	SM 9223B (Qu	ND			MPN/100ml
QC19050995	Blank 1	Chloride	EPA 300.0	ND			mg/L
		Sulfate	EPA 300.0	ND			mg/L
QC19051008	Blank 1	Total Suspended Solids (TSS)	SM 2540D	ND			mg/L
QC19051009	Blank 1	Biochemical Oxygen Demand	SM 5210B	ND			mg/L
QC19051066	Blank 1	Mercury	EPA 245.1	ND			mg/L
QC19051130	Blank 1	Total Kjeldahl Nitrogen	EPA 351.2	ND			mg/L
QC19051182	Blank 1	Barium	EPA 200.7	ND			mg/L
		Beryllium	EPA 200.7	ND			mg/L
		Cadmium	EPA 200.7	ND			mg/L
		Chromium	EPA 200.7	ND			mg/L
		Nickel	EPA 200.7	ND			mg/L
QC19060001	Blank 1	Nitrate + Nitrite Nitrogen	EPA 353.2	ND			mg/L
QC19060008	Blank 1	Total Dissolved Solids (TDS)	SM 2540C	ND			mg/L
QC19060013	Blank 1	Antimony	EPA 200.8	ND			mg/L
		Arsenic	EPA 200.8	ND			mg/L
		Selenium	EPA 200.8	ND			mg/L
		Thallium	EPA 200.8	ND			mg/L
QC19060034	Blank 1	Ammonia, as Nitrogen	SM 4500 NH3	ND			mg/L
QC19060062	Blank 1	Total Cyanide	SM 4500CNC	ND			mg/L
QC19060172	Blank 1	Total Cyanide	SM 4500CNC	ND			mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Rec	Units
QC19050930	LCS 1	Chloride	EPA 300.0	10.1	10.0	101	mg/L
		Sulfate	EPA 300.0	26.1	25.0	104	mg/L
QC19050961	LCS 1	Total Phosphorous as P	SM 4500-P E	0.250	0.250	100	mg/L
QC19050995	LCS 1	Chloride	EPA 300.0	10.0	10.0	100	mg/L
		Sulfate	EPA 300.0	26.0	25.0	104	mg/L
QC19051008	LCS 1	Total Suspended Solids (TSS)	SM 2540D	202	200	101	mg/L
QC19051008	LCS 2	Total Suspended Solids (TSS)	SM 2540D	198	200	99	mg/L
QC19051009	LCS 1	Biochemical Oxygen Demand	SM 5210B	221	198	112	mg/L
QC19051066	LCS 1	Mercury	EPA 245.1	0.004810	0.005	96	mg/L
QC19051130	LCS 1	Total Kjeldahl Nitrogen	EPA 351.2	0.997	1.00	100	mg/L
QC19051182	LCS 1	Barium	EPA 200.7	0.948	1.00	95	mg/L
		Beryllium	EPA 200.7	0.955	1.00	96	mg/L
		Cadmium	EPA 200.7	0.962	1.00	96	mg/L
		Chromium	EPA 200.7	0.958	1.00	96	mg/L
		Nickel	EPA 200.7	4.82	5.00	96	mg/L
QC19060001	LCS 1	Nitrate + Nitrite Nitrogen	EPA 353.2	0.993	1.00	99	mg/L
QC19060008	LCS 1	Total Dissolved Solids (TDS)	SM 2540C	146	150	97	mg/L
QC19060008	LCS 2	Total Dissolved Solids (TDS)	SM 2540C	144	150	96	mg/L
QC19060013	LCS 1	Antimony	EPA 200.8	0.0100	0.010	100	mg/L
		Arsenic	EPA 200.8	0.0477	0.050	96	mg/L
		Selenium	EPA 200.8	0.0480	0.050	96	mg/L

DF=Dilution Factor, RL=Reporting Limit, ND=Not Detected or <RL

Page 5 of 6

SPARKS

475 E. Greg Street, Suite 119
Sparks, Nevada 89431
tel (775) 355-0202
fax (775) 355-0817
EPA LAB ID: NV00925 - ELAP No: 2523

ELKO

1084 Lamoille Hwy
Elko, Nevada 89801
tel (775) 777-9933
fax (775) 777-9933
EPA LAB ID: NV00926

LAS VEGAS

3230 Polaris Ave. Suite 4
Las Vegas, Nevada 89102
tel (702) 475-8899
fax (702) 622-2868
EPA LAB ID: NV00932

QCBatchID	QCType	Parameter	Method	Result	Actual	% Rec	Units
QC19060034	LCS 1	Thallium	EPA 200.8	0.0099	0.010	99	mg/L
QC19060034	LCS 1	Ammonia, as Nitrogen	SM 4500 NH3 D	0.984	1.00	98	mg/L
QC19060062	LCS 1	Total Cyanide	SM 4500CNC	0.099	0.100	99	mg/L
QC19060172	LCS 1	Total Cyanide	SM 4500CNC	0.082	0.100	82	mg/L

QCBatchID	QCType	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD
QC19051008	Duplicate 1	Total Suspended Solids (TSS)	SM 2540D	19050733-002	ND	ND	mg/L	6 %
QC19060008	Duplicate 1	Total Dissolved Solids (TDS)	SM 2540C	19050741-001	20860	20320	mg/L	3 %
QC19060008	Duplicate 2	Total Dissolved Solids (TDS)	SM 2540C	19050700-002	3060	3040	mg/L	1 %

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS %Rec	MSD %Rec	RPD %
QC19050930	MS 1	Chloride	EPA 300.0	19050682-001	16.9	21.9	21.9	5	mg/L	99	100	<1
		Sulfate	EPA 300.0	19050682-001	110	SC 118	118	10	mg/L	NC	NC	NC
QC19050930	MS 2	Chloride	EPA 300.0	19050642-006	1.95	7.14	7.10	5	mg/L	104	103	<1
		Sulfate	EPA 300.0	19050642-006	1.93	12.4	12.3	10	mg/L	104	103	<1
QC19050961	MS 1	Total Phosphorous as P	SM 4500-P E	19050573-011	0.051	M 0.204	0.205	0.25	mg/L	NC	NC	NC
QC19050961	MS 2	Total Phosphorous as P	SM 4500-P E	19050573-016	0.062	0.330	0.330	0.25	mg/L	108	108	<1
QC19050995	MS 1	Chloride	EPA 300.0	19050733-009	3.38	8.44	8.53	5	mg/L	101	103	1
		Sulfate	EPA 300.0	19050733-009	17.0	27.2	27.3	10	mg/L	102	102	<1
QC19050995	MS 2	Chloride	EPA 300.0	19050693-001	ND	5.51	5.55	5	mg/L	105	106	<1
		Sulfate	EPA 300.0	19050693-001	32.3	43.3	44.1	10	mg/L	111	119	2
QC19051066	MS 1	Mercury	EPA 245.1	19050697-001	ND	0.004540	0.004840	0.005	mg/L	91	97	6
QC19051130	MS 1	Total Kjeldahl Nitrogen	EPA 351.2	19050714-001	ND	0.951	0.890	1	mg/L	91	85	7
QC19051130	MS 2	Total Kjeldahl Nitrogen	EPA 351.2	19050700-001	ND	M 0.281	0.117	1	mg/L	NC	NC	NC
QC19051182	MS 1	Barium	EPA 200.7	19050697-001	ND	0.900	0.919	1	mg/L	88	90	2
		Beryllium	EPA 200.7	19050697-001	ND	0.949	0.958	1	mg/L	95	96	<1
		Cadmium	EPA 200.7	19050697-001	ND	0.922	0.930	1	mg/L	92	93	<1
		Chromium	EPA 200.7	19050697-001	ND	0.919	0.909	1	mg/L	92	91	1
		Nickel	EPA 200.7	19050697-001	ND	4.61	4.64	5	mg/L	92	93	<1
QC19060001	MS 1	Nitrate + Nitrite Nitrogen	EPA 353.2	19050658-003	0.380	5.11	5.23	1	mg/L	95	97	2
QC19060001	MS 2	Nitrate + Nitrite Nitrogen	EPA 353.2	19050665-008	0.323	5.10	5.09	1	mg/L	95	95	<1
QC19060013	MS 1	Antimony	EPA 200.8	19050697-001	ND	0.0102	0.0106	0.01	mg/L	95	99	4
		Arsenic	EPA 200.8	19050697-001	0.0234	0.0711	0.0729	0.05	mg/L	95	99	2
		Selenium	EPA 200.8	19050697-001	ND	0.0453	0.0467	0.05	mg/L	90	93	3
		Thallium	EPA 200.8	19050697-001	ND	0.0100	0.0104	0.01	mg/L	99	102	4
QC19060034	MS 1	Ammonia, as Nitrogen	SM 4500 NH3	19050746-006	35.6	58.1	56.8	1	mg/L	90	85	2
QC19060034	MS 2	Ammonia, as Nitrogen	SM 4500 NH3	19050697-001	ND	M 0.845	0.851	1	mg/L	NC	NC	NC
QC19060062	MS 1	Total Cyanide	SM 4500CNC	19050616-001	ND	M 0.080	0.072	0.1	mg/L	NC	NC	NC
QC19060172	MS 1	Total Cyanide	SM 4500CNC	19050697-002	ND	0.081	0.074	0.1	mg/L	80	73	9
QC19060172	MS 2	Total Cyanide	SM 4500CNC	19050903-001	ND	M 0.073	0.070	0.1	mg/L	NC	NC	NC

DF=Dilution Factor, RL=Reporting Limit, ND=Not Detected or <RL

SPARKS

475 E. Greg Street, Suite 119
 Sparks, Nevada 89431
 tel (775) 355-0202
 fax (775) 355-0817
 EPA LAB ID: NV00925 - ELAP No: 2523

ELKO

1084 Lamoille Hwy
 Elko, Nevada 89801
 tel (775) 777-9933
 fax (775) 777-9933
 EPA LAB ID: NV00926

LAS VEGAS

3230 Polaris Ave. Suite 4
 Las Vegas, Nevada 89102
 tel (702) 475-8899
 fax (702) 622-2868
 EPA LAB ID: NV00932



WETLAB

WESTERN ENVIRONMENTAL TESTING LABORATORY

Specializing in Soil, Hazardous Waste and Water Analysis.

475 E. Greg Street #119 | Sparks, Nevada 89431 | www.WETLaboratory.com

tel (775) 355-0202 | fax (775) 355-0817

1084 Lamoille Highway | Elko, Nevada 89801

tel (775) 777-9933 | fax (775) 777-9933

3230 Polaris Ave., Suite 4 | Las Vegas, Nevada 89102

tel (702) 475-8899 | fax (702) 776-6152

WETLAB Order ID. 19050697

Sparks Control # _____

Elko Control # _____

LV Control # _____

Report Due Date _____

Page _____ of _____

Client Washoe County Community Services Department		Turnaround Time Requirements	
Address 1001 E. 9th Street		Standard <input checked="" type="checkbox"/>	
City, State & Zip Reno, NV 89512		5 Day* (25%) <input type="checkbox"/> 72 Hour* (50%) <input type="checkbox"/>	
Contact Lydia Peri		48 Hour* (100%) <input type="checkbox"/> 24 Hour* (200%) <input type="checkbox"/>	
Phone (775) 954-4626		*Surcharges Will Apply	
Collector's Name Fallon Rodriguez		Samples Collected From Which State?	
Fax (775) 328-3699		NV <input checked="" type="checkbox"/> CA <input type="checkbox"/>	
P.O. Number _____		Other <input type="checkbox"/>	
PWS/Project Name Swan Lake		Report Results Via	
PWS/Project Number io 49300		PDF <input checked="" type="checkbox"/> EDD <input checked="" type="checkbox"/>	
Email LPeri@washoecounty.us		Compliance Monitoring?	
Billing Address (if different than Client Address)		Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	
Company _____		Report to Regulatory Agency?	
Address _____		Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	
City, State & Zip _____		Standard QC Required?	
Contact _____		Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	
Phone _____ Fax _____			
Email LPeri@washoecounty.us			

SAMPLE ID/LOCATION	DATE	TIME	PRES TYPE	S	NO. OF CONTAINERS	Analyses Requested											Spl. No.	
						Total Coliform	E. Coli	Total P and Total N	NH3	Chloride/Sulfate	Cyanide	TSS	TDS	BOD	Primary DW Metals			
Compton	05/23/19	1020	Misc.	SW	5	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Pompe	05/23/19	0958	Misc	SW	5	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	

1905 6
0697 2

Instructions/Comments/Special Requirements:

Sample Matrix Key** DW = Drinking Water WW = Wastewater SW = Surface Water MW = Monitoring Well SD = Solid/Sludge SO = Soil HW = Hazardous Waste OTHER: _____

*SAMPLE PRESERVATIVES: 1=Unpreserved 2=H2SO4 3=NaOH 4=HCl 5=HNO3 6=Na2S2O3 7=ZnOAc+NaOH 8=HCl/VOA Vial

Temp	Custody Seal	# of Containers	DATE	TIME	Samples Relinquished By	Samples Received By
10°C	Y N None	10	05/23/19	1053	<i>[Signature]</i>	<i>[Signature]</i>
°C	Y N None					
°C	Y N None					
°C	Y N None					

WETLAB'S Standard Terms and Conditions apply unless written agreements specify otherwise. Payment terms are Net 30.

Client/Collector attests to the validity and authenticity of this (these) sample(s) and, is (are) aware that tampering with or intentionally mislabeling the sample(s) location, date or time of collection may be considered fraud and subject to legal action (NAC445.0636). _____ initial

To the maximum extent permitted by law, the Client agrees to limit the liability of WETLAB for the Client's damages to the total compensation received, unless other agreements are made in writing. This limitation shall apply regardless of the cause of action or legal theory pled or asserted. _____ initial

WETLAB will dispose of samples 90 days from sample receipt. Client may request a longer sample storage time for an additional fee. _____ initial

Please contact your Project Manager for details. _____ initial