



WASHOE COUNTY

TECHNOLOGY SERVICES

1001 E. Ninth St
RENO, NEVADA 89512
(775) 328-2350

DATE: May 5, 2026

TO: 911 Emergency Response Advisory Committee

FROM: James Wood, IT Manager, Washoe County Technology Services
775-858-5979, JAWood@washoecounty.gov

THROUGH: Behzad Zamanian, Chief Information Officer, Washoe County Technology Services

SUBJECT: **REQUEST FOR REIMBURSEMENT FOR WASHOE COUNTY TECHNOLOGY SERVICES – FY26 NNV911 DR FIBER LINES** [For Possible Action] – A review, discussion and possible action to approve, deny, or otherwise modify a request to reimburse the costs associated with the fiber line connections supporting the regional CAD disaster recovery site and related systems, in an amount not to exceed \$31,925.76; and if approved, forward such recommendation to the Board of County Commissioners.

SUMMARY:

Washoe County Technology Services purchased and installed networking infrastructure equipment and services to support data connections to the NNV911 regional dispatch disaster recovery site to 1735 Lundy Ave, San Jose, CA and related systems.

Location	per month	# months	per line request
Charter PO#65x6392			
NNV911 DR – Paid	\$975	5	\$4,875.00
NNV911 DR – Paid	\$1,468.68	3	\$4,406.04
NNV911 DR – Remaining	\$1,468.68	4	\$5,874.72
Momentum PO#65x4578			
NNV911 DR – Paid	\$1,257.25	8	\$10,058.00
NNV911 DR – Remaining	\$1,257.25	4	\$5,029.00
Macondo Networks			
DigiBox Serial Server	\$1,1683.00		\$1,683.00
FY26 Total:			\$31,925.76



INTEGRITY



EFFECTIVE
COMMUNICATION



QUALITY
PUBLIC SERVICE

www.washoecounty.gov

RECOMMENDATION:

Staff recommends that the 911 Emergency Response Advisory Committee approve to reimburse the costs associated with the fiber line connections supporting the regional CAD disaster recovery site and related systems, in an amount not to exceed \$31,925.76; and if approved, forward such recommendation to the Board of County Commissioners.

POSSIBLE MOTION:

If the Committee agrees with Staff's recommendation, a possible motion would be: *"Move to approve to reimburse the costs associated with the fiber line connections supporting the regional CAD disaster recovery site and related systems, in an amount not to exceed \$31,925.76; and if approved, forward such recommendation to the Board of County Commissioners."*